



MADE IN BRITAIN



**BFM Europe**  
BRITISH FIRE MANUFACTURERS

BFM Europe Limited,  
Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ

Telephone: 01782 339000

email: info@bfm-europe.com



[www.kindergasfires.co.uk](http://www.kindergasfires.co.uk)

Go direct to the Kinder website on your smart phone or tablet device, just scan in this QR code.

With thanks to GB Mantels, Stanningley Firesides and OER Fireplaces for supplying some of the fire surrounds used in this brochure.



# Kinder

FIRES FOR LIFE

GAS FIRES  
SPRING - SUMMER 2016



MADE IN BRITAIN



# Kinder

## FIRES FOR LIFE

At Kinder, we know how important it is to create a stylish and relaxing living environment.

That's why we've developed this collection of premium gas fires and surrounds to complement all tastes and lifestyles.

“I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards.

As a result all Kinder fires carry a 15 year guarantee to reflect my belief in their quality and durability, and our experienced Kinder retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Kinder fire as simple as possible. I hope you will find it both informative and inspiring.”

*Richard Jones*



**BFM Europe**  
BRITISH FIRE MANUFACTURERS



BRITISH MADE QUALITY

Kinder is crafted by BFM Europe, the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Kinder branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Kinder fires for life	4
Product testing and certification	5
Kinder 15 year guarantee	6
Before you begin	7



## high efficiency Inspired design. Advanced technology.

About Kinder high efficiency fires 8

### Conventional flue

<b>Hearth Mounted - Open Fronted</b>	
Nevada Plus	10
Kalahari Plus	12
Camber Plus	14
Oasis Plus	16

### Hearth Mounted - Glass Fronted

Nevada HE	18
Kalahari HE	20
Camber HE	22
Oasis HE	24
Celena Gas Fire Suites	26

### Wall Mounted

Celena Wall Mounted	28
Cameo HE	30
Proclaim HE	32
Atina HE	34
Eden HE	36

### Balanced flue

<b>Hearth Mounted</b>	
Dakota	38
Revolution	40
<b>Wall Mounted</b>	
Cameo BF	30
Proclaim BF	32
Eden BF	36
Limours	42

### Hearth Mounted fires

Nevada	44	Black Magic	50
Kalahari	46	Oasis	52
Camber	48		



Finishing touches	54
Powerflue fires	57




# Kinder

FIRES FOR LIFE

## There is nothing like the immediate warmth and comfort of a Kinder Gas fire

Designed to suit your lifestyle with a combination of appealing looks, outstanding warmth and practical attention to detail - Kinder designs gas fires for all tastes, from traditional to contemporary, and including many models available as powerflue and balanced flue options.



Eden HE trimless  
white stones  
PAGE 36

All our fires feature a Flame Supervision Device (FSD) and all conventional flue models feature an Oxygen Depletion Sensor (ODS) for maximum safety. The ODS is a device which shuts off the gas supply to the main burner in the unlikely event of a fault. The FSD is a device which detects the presence of a flame, and in the absence of that flame, prevents uncontrolled release of gas to the burner.

Kinder products are stocked by leading independent fire specialists located throughout the UK. These retailers are fully trained to make the choice and subsequent installation of your Kinder fire as seamless as possible.

Visit [www.KinderGasFires.co.uk](http://www.KinderGasFires.co.uk) to find your nearest retailer.

Everything you need to know about gas fires, from alternative power supplies to flue types is on the following pages, so you can sit back and relax with Kinder from the start.



## Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the most up to date standards for performance, safety and efficiency.



Camber HE  
PAGE 22

All our fires are independently tested, approved and verified by the British Standards Institution (BSI). They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas, electrical, oil and solid fuel product testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.



## Kinder 15 year guarantee

We understand that your gas fire is going to be the heart of your home. That's why we are passionate about ensuring our gas fires offer the ultimate in build quality and looks.



Eden HE with designer trim and logs  
PAGE 36

From the beginning, our Design Team sets the standard by creating new and innovative products, so you'll find exactly the fire you have in mind. Then there's our Development Team. They consistently deliver higher safety and efficiency ratings to give you total confidence.

Before we commence manufacture, all models are assessed and approved by leading independent organisations and each fire rigorously checked by our Quality Control Department prior to leaving our state-of-the-art facility.

All in all, guaranteeing that when you settle down in front of a Kinder fire, you'll have the very best in gas fire technology behind it.

Every Kinder gas fire carries a 15 year Comprehensive Guarantee\* providing you with reassurance and peace of mind. This means that your fire is guaranteed for fifteen years against manufacturing and material defects, including parts and labour. The guarantee is subject to our 'Conditions of guarantee' including annual service and annual replacement of the oxy-pilot assembly.

We offer this guarantee, unlike other manufacturers, as a sign of our commitment to the highest standards of build quality, ensuring that life will revolve around your Kinder fire for many years to come. In-line with gas industry practice, we recommend that all gas appliances should be serviced annually by a Gas Safe

Register engineer to ensure continued safe operation and optimum performance throughout the lifetime of the product. Gas Safe Register engineers are available directly through our Service Department.

## Before you begin

There is a Kinder fire for all tastes, from traditional to contemporary chic. However, before you make your final selection, please take time to consider the following:

### Radiant or Convector?

A **radiant fire** emanates heat from the combustion chamber only, which is why Kinder radiant fires incorporate a glowing back panel to maximise heat output. A **convector fire** has the added benefit of a heat exchanger attached to the back of the fire. This draws cool air in and sends it back out into the room as hot air, maximising heat output whilst keeping your fuel bills down.

### Power

Your gas supply will either be Natural Gas or LPG, depending on the area in which you live.



Natural Gas - The most common gas supply.



LPG - Alternative for houses with no Natural Gas supply.

### Chimney or Flue

Your choice of fire will be dictated by the type of chimney or flue you have. If you're not sure, then take a look at your roof and cross-reference it with the simple guide on the right. It is also worth noting that a slimline fire will fit virtually any chimney or flue, whereas a full-depth often requires a traditional chimney or rebate on the fire surround.

Please confirm your flue type by consulting your Kinder Stockist before purchase.



#### Brick Chimney

A conventional brick chimney is recognisable by a chimney stack with a terracotta pot or gas terminal.



#### Pre-Fabricated Flue

This is an interlocking metal flue tube system identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



#### Pre-Cast Flue

Built from concrete or clay blocks, pre-cast flues provide a rectangular section flue. They can be identified by a ridge vent or metal flue tube and terminal on the roof. All fires featuring this icon are suitable for pre-cast flues conforming to BS EN 1858.

### No Chimney or Flue

Some properties have no chimney or flue, in which case a balanced flue or powerflue is required.



Powerflue fires expel the flue gases directly outside the building through the use of an electronically driven fan unit mounted on the external wall. A sophisticated microprocessor monitors performance and automatically shuts off the fire in the unlikely event of operation failure.



Balanced flue fires vent directly outside through a horizontal co-axial pipe (one pipe within a larger pipe). The outer pipe draws air in from the outside and the inner pipe expels combustion gases. An electricity supply is not required for these products.

### Controls

Gas is wonderfully controllable, but which type of control suits you best? The discretion of manual ignition, concealed behind the removable ash pan... the convenience of slide control...or the luxury and style of remote control?



#### Manual Control

Simple and discreet. The control system is located behind the fire's fret or trim. Once the fire is lit rotate the control knob to adjust the flame height and heat output.



#### Slide Control

A convenient control system which is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



#### Semi Remote Control

Light the fire using the manual control system located behind the fire's trim or fret then use the remote control handset to adjust the flame height and heat output.



#### Fully Automatic Easy Flame Control

Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height



#### Fully Remote with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.



#### Fully Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



#### Touchlight

Control via two switches, On/Off & High/Low.

### Fire Back Panel

Kinder offers a range of fire back panels chosen to compliment each individual fire. In some cases you may be offered a choice of back panel – look out for the symbols on the right.



Plain Back



Black Ribbed Back



Cream Ribbed Back



Glossy Black Enamel Back



Vermiculite Back

## Glass fronted HE fires


### Hearth Mounted Glass Fronted



Camber HE ..... Page 22

**78%**  
net efficiency

### Hole in the Wall Glass Fronted



Proclaim HE ..... Page 32

**87%**  
net efficiency

## Open fronted HE fires



Oasis Plus ..... Page 16

**78%**  
net efficiency


## Balanced Flue HE fires




Revolution ..... Page 40

**94%**  
net efficiency

This type of high efficiency fire has a glass panel across the front of the fire which radiates the heat generated from the fuel bed directly into the room. The glass panel concentrates the radiant heat so that more heat is forced into the room and less is lost through the chimney. Combined with convected heat which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, this makes glass fronted HE's the most efficient conventional flue fires available.




- Nevada HE ..... Page 18
- Oasis HE ..... Page 24
- Kalahari HE ..... Page 20
- Celena Gas Fire Suites.. Page 26




- Celena Wall Mounted... Page 28
- Atina HE ..... Page 34
- Cameo HE ..... Page 30
- Eden HE ..... Page 36

Open fronted HE fires provide the look and feel of a real open fire with net efficiencies of up to 74%. This type of fire provides both radiant and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air through the gap above the canopy.



- Nevada Plus ..... Page 10
- Camber Plus ..... Page 14
- Kalahari Plus ..... Page 12

Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home. A balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes. The radiant heat generated from the fuel-bed combines with convected heat, which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making balanced flues one of the most efficient types of gas fires available.



- Cameo BF ..... Page 30
- Eden BF ..... Page 36
- Proclaim BF ..... Page 32
- Dakota ..... Page 38
- Atina BF ..... Page 34
- Limours ..... Page 42



Watch the video

APPROVED  
& VERIFIED BY



# Nevada Plus



high efficiency

The Nevada Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4.1kW it is also one of the warmest products suitable for a pre-cast flue.

The Nevada Plus is available in a choice of manual, remote or our easy access Easy Flame control systems. This extremely versatile fire can be styled with a wide range of Kinder trims, frets or fascias and with an optional pebble fuel bed it is easy to create a look to suit your existing décor. See pages 54 to 56 for more information about Kinder accessories.

## 70% net efficiency

BS7977-1:2009 has since been amended. If retested to the amended version of the standard the efficiencies and outputs of these fires may vary.

### Specifications

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.5kW
Heat Input - LOW	2.2kW
Heat Output - HIGH	4.1kW
Heat Output - LOW	1.4kW
Air vent required	Not normally

N.B. Heat output and efficiency may differ slightly depending on type of fuel effect.

### Options

#### Fuel



Natural Gas

#### Chimney or Flue



Brick Chimney Pre-Fabricated Pre-Cast

#### Control




Manual Fully Automatic Easy Flame Control Fully Remote

#### Back design



Plain

### Dimensions



- A 600mm
- B 498mm
- C 548mm
- D 125mm
- E 324mm

Dimensions A & B refer to standard trims only.



Nevada Plus with Profiled trim in silver and Bauhaus fret in polished silver with pebble fuel effect.



Nevada Plus with Profiled trim in brass and Dallas fret in brass with coal fuel effect



APPROVED  
& VERIFIED BY  
**bsi.**

**Kalahari Plus**  **high efficiency**

The Kalahari Plus high efficiency gas fire boasts an impressive 70% net efficiency and can be installed in to almost any chimney or flue, including Pre-cast when fitted with a 3" rebated fire surround.

This open-fronted gas fire features a highly realistic coal fuel effect and is available as a manual, slide, easy flame or remote controlled fire. Comes with coal fuel effect as standard. A pebble fuel bed pack is available as an optional extra..

The Kinder Kalahari can be styled with most trims, frets and fascias in our wide range of gas fire accessories on pages 54-56.

**70%**  
net efficiency

BS7977-1:2009 has since been amended. If retested to the amended version of the standard the efficiencies and outputs of these fires may vary.

**Specifications**

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.4kW
Heat Output - LOW	2.2kW
Air vent required	Not normally

**Options**

**Fuel**



Natural Gas

**Chimney or Flue**



Brick Chimney Pre-Fabricated Pre-Cast

**Control**




Manual Slide Fully Automatic Easy Flame Control Fully Remote Control

**Back design**



Plain

**Dimensions**



- A 600mm
- B 498mm
- C 548mm
- D 170mm
- E 365mm

Dimensions A & B refer to standard trims only.



Kalahari Plus with pebble fuel effect, Designer trim in silver & black and Vegas fret in polished silver.



Kalahari Plus with coal fuel effect, Designer trim in silver & black and Vegas fret in polished silver



Watch the video

APPROVED & VERIFIED BY



# Camber Plus



high efficiency

The Camber Plus is certainly a contemporary classic with a wonderfully sleek design that will never go out of fashion.

This open-fronted gas fire provides an incredible 4.4kW heat output with a net efficiency of 70%. The Camber Plus is available in both manual and remote control versions and a coal fuel bed pack can be purchased as an optional extra.

## 70% net efficiency

BS7977-1:2009 has since been amended. If retested to the amended version of the standard the efficiencies and outputs of these fires may vary.

### Specifications

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.4kW
Heat Output - LOW	2.2kW
Air vent required	Not normally

### Options

#### Fuel



Natural Gas

#### Chimney or Flue



Brick Chimney



Pre-Fabricated



Pre-Cast

#### Control



Manual




Fully Remote

#### Back design



Plain

### Dimensions



- A 610mm
- B 520mm
- C 548mm
- D 170mm
- E 365mm

Dimensions A & B refer to standard trims only.



Camber Plus with coal fuel effect.



Camber Plus with pebble fuel effect



APPROVED  
& VERIFIED BY  
**bsi.**

**Oasis Plus**  **high efficiency**

The Oasis Plus is the first full depth open-fronted high efficiency gas fire from Kinder. You can now achieve the look of a real open coal fire, combined with the convenience of gas fuel, at an incredible 74% net efficiency.

**74%**  
net efficiency

BS7977-1:2009 has since been amended. If retested to the amended version of the standard the efficiencies and outputs of these fires may vary.

This stunning fire features an extra wide coal fuel effect bed, a beautiful flame picture and offers an incredible 4.6kW heat output.

Suitable for installation into standard brick chimneys and pre-fabricated flues, the Oasis Plus comes in a choice of manual, slide, easy flame or remote control and can be styled to suit your home with our wide range of trims and frets (see pages 54-56 for further details).

**Specifications**

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.6kW
Heat Output - LOW	2.3kW
Air vent required	Not normally

**Options**

**Fuel**



Natural Gas

**Chimney or Flue**



Brick Chimney



Pre-Fabricated

**Control**



Manual



Slide



Fully Automatic



Fully Remote




Easy Flame Control

**Back design**



Plain

**Dimensions**



- A 600mm
- B 498mm
- C 548mm
- D 223mm
- E 400mm

Dimensions A & B refer to standard trims only.





APPROVED  
& VERIFIED BY  
**bsi.**

**Nevada HE**  **high efficiency**

This slimline high efficiency fire boasts a net efficiency of up to 89% and will fit almost any chimney or flue including Pre-Cast (BS EN 1858).

**89%**  
net efficiency

With a choice of coal or pebble\* fuel bed the Nevada HE also features a large viewing window and an incredible 3.2kW heat output. Create your own style with a choice of trim or fret combination from the extensive range on pages 54-56.

\*Available to purchase as an optional extra.


**Specifications**

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	4.0kW
Heat Input - LOW	2.0kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	1.4kW
Air vent required	Not normally

**Options**

<p><b>Fuel</b></p>  <p>Natural Gas</p>	<p><b>Chimney or Flue</b></p>    <p>Brick Chimney Pre-Fabricated Pre-Cast</p>
<p><b>Control</b></p>   <p>Manual Slide</p>	<p><b>Back design</b></p>  <p>Plain</p>

**Dimensions**



Dimensions A & B refer to standard trims only.



Nevada HE with pebble\* fuel effect, Standard trim and Athena fret in a polished silver finish.



Nevada HE with coal fuel effect, Standard trim and Athena fret in a brass finish



APPROVED  
& VERIFIED BY  
**bsi.**

**Kalahari HE**   
high efficiency

With a net efficiency of 78%, the Kalahari HE has been designed to fit most flue types including Pre-Cast flues when installed with a 3" rebated fire surround.

**78%**  
net efficiency

As well as manual or slide control options you can also enjoy the luxury of a fully remote control system on the Kalahari HE. Comes with coal fuel effect as standard. A pebble fuel bed pack is available as an optional extra. Choose any trim and fret combination from the Kinder fascia range on pages 54-56 to complement your living area.

**Specifications**

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally

**Options**

**Fuel**



Natural Gas  
LPG

**Chimney or Flue**



Brick Chimney  
Pre-Fabricated  
Pre-Cast

**Control**




Manual  
Slide  
Fully Remote with Thermostat

**Back design**



Plain

**Dimensions**



- A 598mm
- B 497mm
- C 550mm
- D 327mm
- E 180mm
- F 110mm
- G 365mm

Dimensions A & B refer to standard trims only.



Kalahari HE with pebble fuel effect, Chamfered trim and Athena fret in a polished silver finish.



Kalahari HE with coal fuel effect, Chamfered trim and Athena fret in a polished silver finish 21



APPROVED  
& VERIFIED BY  
**bsi.**

**Camber HE**  **high efficiency**

The stylish silver fascia combined with a black ribbed interior and cool beach pebbles make the Camber HE a welcome centre-piece in any modern living room.

**78%**  
net efficiency

Boasting a net efficiency of 78% the Camber HE is economical as well as eye-catching. It is also suitable for most conventional flue chimneys including pre-cast when installed with a 3" rebated fire surround. Manual and remote controlled models are available.

### Specifications

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally

### Options

#### Fuel



Natural Gas

#### Chimney or Flue



Brick Chimney



Pre-Fabricated



Pre-Cast

#### Control



Manual




Fully Remote with Thermostat

#### Back design



Ribbed

### Dimensions



- A 610mm
- B 520mm
- C 550mm
- D 327mm
- E 180mm
- F 110mm
- G 365mm

Dimensions A & B refer to standard trims only.





Based on our most popular hearth mounted fire, the Oasis HE is the first model in the Kinder 'high efficiency' range.

The Oasis HE has an incredible 89% net efficiency and 4kW heat output, ensuring that this fire gives optimum heat combined with cost efficiency. This glass fronted product is available with all Kinder trim and fret combinations allowing you to personalise the look and style of your fire – see pages 54-56 for options.

**89%**  
net efficiency

**Specifications**

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	5.0kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	4.0kW
Heat Output - LOW	2.3kW
Air vent required	Not normally

**Options**

**Fuel**



Natural Gas  
LPG

**Chimney or Flue**



Brick Chimney  
Pre-Fabricated

**Control**




Manual  
Slide  
Fully Remote with Thermostat

**Back design**



Plain

**Dimensions**



- A 598mm
- B 497mm
- C 550mm
- D 230mm
- E 400mm

Dimensions A & B refer to standard trims only.





Watch the video

APPROVED & VERIFIED BY



# Celena Gas Fire Suites



high efficiency

These classically styled suites will compliment both traditional and modern homes alike and are manufactured from beautiful Portuguese limestone.

The Avignon, Etienne and Rennes suites come complete with the Celena gas fire which has been designed with perfect proportions to give you a large flame viewing area yet still enable installation in to most standard chimneys.

With an impressive 80% efficiency and 3.9kW heat output this glass fronted fire features a stunning log effect fuel bed and is available with a choice of black fibre or cream vermiculite fire backs. The Celena is operated by a thermostatic remote control system to ensure your room is always at a comfortable temperature.

### Specifications

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	5.4kW
Heat Input - LOW	3.7kW
Heat Output - HIGH	3.9kW
Heat Output - LOW	2.4kW
Air vent required	Not normally

### Options

#### Fuel



Natural Gas

#### Chimney or Flue



Brick Chimney



Pre-Fabricated

#### Control



Fully Remote with Thermostat

#### Back design



Plain



Vermiculite

**80%**  
net efficiency




Etienne Suite & Celena gas fire with plain black fire back



Rennes Suite & Celena gas fire with black fire back

### Dimensions





APPROVED  
& VERIFIED BY  
**bsi.**

**Celena HE**   
high efficiency

The Celena gas fire has been designed with perfect proportions to give you a large flame viewing area yet still enable installation in to most standard chimneys.

**80%**  
net efficiency

With an impressive 80% efficiency and 3.9kW heat output this glass fronted fire features a stunning log effect fuel bed and is available with a choice of black fibre or cream vermiculite fire backs. The Celena is operated by a thermostatic remote control system to ensure your room is always at a comfortable temperature. A polished steel or brass effect trim are available to purchase as optional extras.


**Specifications**

Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	5.4kW
Heat Input - LOW	3.7kW
Heat Output - HIGH	3.9kW
Heat Output - LOW	2.4kW
Air vent required	Not normally

**Options**

<p><b>Fuel</b></p>  <p>Natural Gas</p>	<p><b>Chimney or Flue</b></p>   <p>Brick Chimney Pre-Fabricated</p>
<p><b>Control</b></p>  <p>Fully Remote with Thermostat</p>	<p><b>Back design</b></p>   <p>Plain Vermiculite</p>

**Dimensions**



Celena with vermiculite fire back and brass effect trim.



Celena with black fire back and polished steel trim 29



APPROVED  
& VERIFIED BY  
**bsi.**

**Cameo HE**  **high efficiency**

The petite dimensions of the Cameo HE make it perfect for modern living areas where space can be at a premium.

This stunning high efficiency hole-in-the-wall fire comes with a highly realistic log fuel bed and is available in a glossy black vitreous enamel back on the conventional flue model, or black or cream ribbed back panels on the balanced flue model. The Cameo HE also comes with a variety of stylish, dual colour designer fascias in bronze and champagne, black and silver or black and black.

**87%\***  
net efficiency

\*on conventional flue

**Specifications**

	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant & Convected
Heat Input - HIGH	5.5kW	4.4kW
Heat Input - LOW	3.0kW	3.1kW
Heat Output - HIGH	4.2kW	3.5kW
Heat Output - LOW	2.3kW	2.5kW
Air vent required	No	Not normally

**Options**

**Fuel**



Natural Gas

**Chimney or Flue**



Brick Chimney Pre-Fabricated Balanced

**Control**



Semi Remote\* Fully Remote with Thermostat\*\*

**Back design**




Glossy Black Enamel\*\* Black Ribbed\*


\*Balanced flue only \*\*Conventional flue only.

**Dimensions**

**Conventional Flue**



**Balanced Flue**



An optional 25mm or 50mm spacer is available for the Cameo HE CF if required.



Cameo HE with black & silver trim.



Cameo HE with black trim.



Cameo Balanced Flue with black ribbed back and black & silver trim.



Cameo Balanced Flue with black ribbed back and black trim.



Cameo HE with bronze & champagne trim 31



Watch the video

APPROVED & VERIFIED BY



# Proclaim HE



high efficiency

With an incredible heat output and high efficiency the Kinder Proclaim HE and Proclaim BF gas fires are two of the most economical hole-in-the-wall fires available.

The Proclaim HE features a beautifully realistic log fuel bed and a glossy black vitreous enamel interior lining. It also features remote control functionality with thermostatic operation. The Proclaim BF is available for homes without a conventional brick chimney or pre-fabricated flue and comes with semi-automatic remote control operation. Both models are available with the choice of three stylish trims; matt black and polished silver, matt black and polished black or bronze and champagne.

# 87%

net efficiency

Balanced Flue only

### Specifications

	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant
Heat Input - HIGH	7.5kW	5.5kW
Heat Input - LOW	3.5kW	3.0kW
Heat Output - HIGH	5.5kW	3.9kW
Heat Output - LOW	2.6kW	2.3kW
Air vent required	No	Not normally
Efficiency	87%	79%

### Options

#### Fuel



Natural Gas

#### Chimney or Flue



Brick Chimney



Pre-Fabricated



Balanced

#### Control



Semi Remote\*



Fully Remote with Thermostat\*\*

#### Back design




Glossy Black Enamel


\*Balanced flue only \*\*Conventional flue only.

### Dimensions

#### Conventional Flue



#### Balanced Flue



An optional 25mm or 50mm spacer is available for the Proclaim HE CF if required.



Proclaim Balanced Flue with black and silver trim.



Proclaim HE with black trim.



Proclaim HE with bronze and champagne trim.



Proclaim HE with black and silver trim



APPROVED  
& VERIFIED BY  
**bsi.**

**Atina HE**  **high efficiency**

The Atina HE's perfect petite proportions and fabulous black reflective interior combined with a spellbinding flame makes this little hole-in-the-wall gas fire a magnificent centre-piece for smaller modern living areas.

**79%**  
net efficiency  
Balanced Flue only

The Atina HE features a maximum heat output of 3.5kW and is controlled by a fully sequential remote control system\* with thermostatic operation so you can always maintain a comfortable room temperature that suits you.

\*A 240V 3amp mains electricity supply is required. Please refer to installation manual for more information regarding installation requirements before you start the installation.

**Specifications**


	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant & Convected
Heat Input - HIGH	5.1kW	5.0kW
Heat Input - LOW	2.8kW	3.0kW
Heat Output - HIGH	3.6kW	3.5kW
Heat Output - LOW	1.7kW	1.7kW
Air vent required	No	Not normally
Efficiency	79%	77%

All specifications shown relate to natural gas models only.


**Options**

<p><b>Fuel</b></p>   <p>Natural Gas    LPG</p>	<p><b>Chimney or Flue</b></p>    <p>Brick Chimney    Pre-Fabricated    Balanced</p>
<p><b>Control</b></p>  <p>Fully Remote with Thermostat</p>	<p><b>Back design</b></p>  <p>Plain</p>

**Dimensions**



**Wide fascia**



Atina HE with white stones fuel effect.



Atina HE with log fuel effect and Wide trim in antique brass.



Atina HE with white stones fuel effect and Wide trim in polished silver 35



Watch the video

APPROVED  
& VERIFIED BY



Eden HE



high efficiency

This glass fronted landscape hole-in-the-wall fire has an incredible 83% net efficiency and up to 5.2kW heat output. It features an enchanting flame picture and comes with a choice of log or white stone fuel effect.

The Eden HE has been designed as a trimless fire for a very minimalist appearance, or team with an optional designer trim for a more prominent centrepiece.

A 240V 3amp mains electricity supply is required to power the remote control system.

Please refer to installation manual for more information regarding installation requirements before you start the installation.

**83%**  
net efficiency

### Specifications

	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant & Convected
Heat Input - HIGH	6.3kW	6.9kW
Heat Input - LOW	2.0kW	3.5kW
Heat Output - HIGH	4.8kW	5.2kW
Heat Output - LOW	1.3kW	2.0kW
Air vent required	No	Not normally

All specifications shown relate to natural gas models only.

### Options

#### Fuel



Natural Gas

LPG

#### Chimney or Flue



Brick Chimney

Pre-Fabricated

Balanced

#### Control




Fully Remote with Thermostat

#### Back design




Plain

### Dimensions




Dimensions for the Eden Balanced Flue model may vary please consult the installation manual for further details.

#### Slimline fascia



#### Deluxe fascia



Eden HE with log fuel effect.



Eden HE with white stones fuel effect and Slimline trim in polished silver.



Eden HE with log fuel effect and Slimline trim in antique brass.



Eden HE with white stones fuel effect and Deluxe trim in satin silver.



Eden HE with log fuel effect and Deluxe trim in antique brass.





APPROVED  
& VERIFIED BY  
**bsi.**

# Dakota Balanced Flue



high efficiency

The Dakota's stylish glass front is instantly eye-catching and helps ensure incredible efficiency.

As the Dakota is designed exclusively as a balanced flue model, home owners without a chimney can still enjoy the benefits of having a Kinder gas fire. Comes with the option of a brass, black or silver chamfered trim which can be teamed with any fret from our extensive range on page 56.

**82%**  
net efficiency

## Specifications

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	3.8kW
Heat Input - LOW	2.5kW
Heat Output - HIGH	2.8kW
Heat Output - LOW	1.7kW
Air vent required	No

## Options

### Fuel



Natural Gas

### Chimney or Flue



Balanced

### Control




Manual

### Back design



Black Brick

## Dimensions



- A 620mm
- B 470mm
- C 580mm
- D 125mm
- E 95mm
- F 435mm
- G 675mm max - 275mm min
- H 400mm
- I 145mm



Dakota with Vegas fret in a black finish.



Dakota with Vegas fret in a polished silver finish.



Dakota with Vegas fret in a brass finish 39



APPROVED  
& VERIFIED BY  
**bsi.**

# Revolution Balanced Flue



high efficiency

Designed to fit into a standard cavity wall with a 3" rebated surround the Revolution Balanced Flue gas fire boasts net efficiency of up to 94% and features a full depth coal fuel effect.

## 94% net efficiency

The Revolution is available in manual, remote or with a fully automatic Easy Flame control option with discreet, easy access buttons which ignites the fire and allows you to adjust the heat and flame height to suit your needs.

This glass fronted fire has an exceptionally large viewing area and can be styled with a variety of trims and frets available from the Kinder accessories range on pages 54-56.

### Specifications

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.6kW
Heat Input - LOW	3.0kW
Heat Output - HIGH	4.3kW
Air vent required	No

### Options

#### Fuel



Natural Gas LPG†

#### Flue



Balanced

#### Control



Manual Fully Remote Fully Automatic Easy Flame Control


#### Back design



Plain

†Only available with Manual Control.

### Dimensions



- A 598mm
- B 497mm
- C 551mm
- D 185mm
- E 486mm
- F 406mm
- G 150mm
- H 423mm
- I 120mm
- J 285mm min - 625mm max\*

\*Dimensions differ on EFC models. An optional flue duct extension is available for natural gas models only to increase maximum length to 1015mm on manual models and 973mm on EFC models.



Revolution with Camber fascia in silver.



Revolution with Standard trim and Aegis fret in a polished silver finish



APPROVED  
& VERIFIED BY  
**bsi.**

# Limours Balanced Flue



high efficiency

The Limours is Kinder's first dedicated wall mounted balanced flue fire. No chimney is required as this fire is flued directly through an outside wall. It can be simply hung on the wall with no need for any extensive building work or recessed when fitted with an additional wall plate.

## 87% net efficiency

The Limours is operated via a semi automatic remote control and features a contemporary graphite fascia with stainless steel detail and an aggregate stone effect fuel bed.

### Specifications

Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.8kW
Heat Input - LOW	2.2kW
Heat Output - HIGH	4.2kW
Air vent required	No

### Options

#### Fuel



Natural Gas

#### Flue



Balanced

#### Control




Semi Remote

#### Back design



Ribbed


### Dimensions



#### Hang on Wall Installation

- A 685mm
- B 1110mm
- C 612mm
- D 145mm
- E 747mm
- F 150mm min - 405mm max\*

\*Optional flue duct extension available to increase maximum length to 800mm.



#### Inset Installation

- A 739mm
- B 1164mm
- C 612mm
- D 100mm
- E 747mm
- F 250mm min - 525mm max\*

\*Optional flue duct extension available to increase maximum length to 920mm.



Limours in a wall inset installation using optional wall plate.



Limours with optional brushed steel trim 43



APPROVED  
& VERIFIED BY  
**bsi.**

**Nevada**

With its ultra slim design, the Nevada will fit beautifully into almost any fireplace and is also available in a powerflue version for homes without a chimney or flue.

With the natural ambient glow of real-effect coals and flames, it will suit your lifestyle and your home perfectly. A pebble fuel bed pack is available as an optional extra and you can create your own look by choosing a trim and fret combination from our extensive range on pages 54-56.

**Specifications**


	Conventional Flue (CF)	Powerflue (PF)
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant	Radiant
Heat Input - HIGH	6.5kW	6.5kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	3.3kW	3.2kW
Heat Output - LOW	1.5kW	1.9kW
Air vent required	Not normally	Not normally

**Options**

<p><b>Fuel</b></p>  <p>Natural Gas</p>	<p><b>Flue</b></p>     <p>Brick Chimney Pre-Fabricated Pre-Cast Powerflue†</p>
<p><b>Control</b></p>   <p>Manual Slide</p>	<p><b>Back design</b></p>  <p>Plain</p>

†Available in Manual Control only.

**Dimensions**



For Powerflue dimensions please see page 58.  
Dimensions A & B refer to Standard trims only.



Nevada with optional pebble fuel effect, Designer trim in black and silver and Dallas fret in polished fret.



Nevada with coal fuel effect, Designer trim in black & brass and Dallas fret in antique brass finish.



Watch the video

APPROVED  
& VERIFIED BY



# Kalahari

The Kalahari instantly brings a room to life. This market leading radiant offers the appearance of a real open fire and incorporates a full-depth ceramic coal fuel effect for beautifully realistic flames and an inviting charm.

Designed to fit snugly into a pre-cast flue with a 3" rebated fire surround, this fire exudes a welcoming heat output of up to 3.3kW. The Kalahari is available in a choice of manual, slide or fully automatic remote control. The Kalahari Powerflue features an electronic Touchlite control – see page 7 for details. A pebble fuel bed pack is available as an optional extra.

### Specifications

	Conventional Flue (CF)	Powerflue (PF)
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant	Radiant
Heat Input - HIGH	6.9kW	6.9kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	3.3kW	3.2kW
Heat Output - LOW	1.5kW	2.0kW
Air vent required	Not normally	Not normally

### Options

#### Fuel



Natural Gas LPG†

#### Flue



Brick Chimney Pre-Fabricated Pre-Cast Powerflue††

#### Control



Manual Slide Fully Remote Touchlight\*


#### Back design



Plain

†Only available on Manual or Slide Control ††Only available with Manual or Touchlight Control  
\*Only available on Powerflue models.

### Dimensions



- A 598mm
- B 497mm
- C 550mm
- D 327mm
- E 170mm
- F 110mm
- G 365mm

For Powerflue dimensions please see page 58.  
Dimensions A & B refer to Standard trims only.



Kalahari with pebble fuel effect, Designer trim and Bauhaus fret in a silver finish.



Kalahari with Arcadia fascia in silver 47



APPROVED  
& VERIFIED BY  
**bsi.**

**Camber**

The Camber's contradictory balance of cool beach pebbles and blazing dancing flames captivate you on entering the room. Precision manufacturing and the unique pebble design provide an individual combination of aesthetic beauty with high quality performance.

Camber Black features black ribbed back panels, cool grey pebbles and a silver fascia. Camber Cream features a champagne fascia, cream ribbed back panels and a warm beige pebble fuel bed.

A coal fuel effect is available as an optional extra.

Don't have a chimney? Don't worry. This breathtaking fire is also available as a Powerflue model.

### Specifications

Model Performance	Conventional Flue (CF)	Powerflue (PF)
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant	Radiant
Heat Input - HIGH	6.9kW	6.9kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	3.3kW	3.6kW
Heat Output - LOW	1.5kW	2.0kW
Air vent required	Not normally	Not normally

### Options

#### Fuel



Natural Gas

#### Chimney or Flue



Brick Chimney Pre-Fabricated Pre-Cast Powerflue†

#### Control



Manual

Fully Remote


#### Back design



Ribbed

†Only available with Manual Control.

### Dimensions



For Powerflue dimensions please see page 57.



Camber Black with coal fuel effect.



Camber Cream.



Camber Black with pebble fuel effect 49



APPROVED  
& VERIFIED BY  
**bsi.**

# Black Magic

The Black Magic is a contemporary coal effect gas fire that fits in to almost all flue types including pre-cast with a 3" rebated fire surround. Providing the finishing touch to this stunning design is the contemporary fascia which is made from high quality extruded aluminium and comes in a beautiful black textured paint finish. The Black Magic is also available in a powerflue model.

### Specifications

	Conventional Flue (CF)	Powerflue (PF)
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant	Radiant
Heat Input - HIGH	6.9kW	6.9kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	3.3kW	3.6kW
Heat Output - LOW	1.5kW	2.0kW
Air vent required	Not normally	Not normally

### Options

#### Fuel



Natural Gas LPG†

#### Chimney or Flue



Brick Chimney Pre-Fabricated Pre-Cast Powerflue†

#### Control



Manual Fully Remote


#### Back design



Plain

†Only available with Manual Control

### Dimensions



For Powerflue dimensions please see page 57.





APPROVED  
& VERIFIED BY  
**bsi.**

Oasis

The Oasis successfully marries classic looks with state-of-the-art performance and is currently one of the warmest open-fronted convector fires with a heat output of up to 4.0kW.

The full depth fuel bed and highly realistic coal effect provides a mesmerising flame picture with a cosy glow ensuring an attractive centrepiece in any room. There is also a low lintel option available, along with a wide choice of trim and fret combinations in contemporary or traditional styles. See pages 54-56 for details.

### Specifications

	Oasis & Oasis Low Lintel
Safety	FSD & ODS
Type of heat	Radiant
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.0kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

### Options

#### Fuel



Natural Gas

LPG+


#### Chimney or Flue



Brick Chimney

Pre-Fabricated

#### Control



Manual

Slide

Fully Remote


#### Back design



Plain

Oasis Low Lintel model only available in manual control for use on natural gas.  
\*Only available with Oasis Manual Control.

### Dimensions



#### Oasis

- A 594mm
- B 485mm
- C 550mm
- D 250mm
- E 400mm

#### Oasis Low Lintel

- A 544mm
- B 485mm
- C 500mm
- D 270mm
- E 400mm





## Finishing touches

The cherry on the cake. Complete your chosen gas fire with our range of fascias, trims & frets

### Trims

**Designer trim** Made from extruded aluminium, Designer trims create fabulous dual-coloured looks in a choice of six combinations. Suitable for the Nevada Plus, Kalahari Plus, Oasis Plus, Nevada HE, Kalahari HE, Oasis HE, Nevada, Kalahari and Oasis† fires.



### Standard trim

Quality steel trims in a choice of four colours.. Suitable for the Nevada Plus, Kalahari Plus, Oasis Plus, Nevada HE, Kalahari HE, Oasis HE, Nevada, Kalahari, Oasis, Oasis LL†† and Revolution fires.



### Chamfered trim

Made from steel in a choice of two colours. Suitable for the Nevada Plus\*, Kalahari Plus\*, Oasis Plus\*, Nevada HE\*, Kalahari HE\*, Oasis HE\*, Nevada\*, Kalahari\*, Oasis\*, and Revolution fires.



### Ultimo and Caesar trims

The Ultimo trims are made from cast iron and are suitable for the Nevada Plus, Kalahari Plus, Oasis Plus, Nevada HE, Kalahari HE, Oasis HE, Nevada, Kalahari and Oasis† fires. The Caesar cast iron trim is suitable for the Nevada, Kalahari and Oasis† fires.



### Wide trim

Made from steel and is only available in a brass colour finish. Suitable for the Nevada Plus\*, Kalahari Plus\*, Oasis Plus\*, Nevada HE\*, Kalahari HE\*, Oasis HE\*, Nevada\*, Kalahari\*, Oasis\*, and Revolution fires.



\*Not available for slide control models. † Not available on the low lintel (LL) model †† Only available in brass or black colour options.

## Fascias

### The Camber and Black Magic

The Camber and Black Magic fascias are made from high quality extruded aluminium and are available in silver, champagne and black finishes. The Camber and Black Magic fascias are suitable for the Nevada Plus\*, Kalahari Plus\*, Oasis Plus\*, Kalahari HE\*, Oasis HE\*, Nevada\*, Kalahari\*, Oasis\* and Revolution†† fires.

†† Only available with Camber in silver finish.



Camber satin silver



Camber champagne



Black Magic

### Arcadia and Embrace

The Arcadia and Embrace fascias are made from solid cast iron to an extremely high quality finish. The Arcadia fascia is available in both Gold and Silver, and the Embrace fascia is available in Gold, silver and black nickel. The Arcadia and Embrace are suitable for the Nevada Plus^, Kalahari Plus^, Oasis Plus^, Kalahari HE^, Oasis HE^, Nevada ^, Nevada HE^, Kalahari^, Oasis^ and Revolution†† fires.  
^Not available in EFC



Arcadia gold



Arcadia silver



Embrace gold



Embrace silver



Embrace black nickel

# Frets

Each of these frets is suitable for every hearth mounted gas fire in the Kinder range. The black and polished silver frets are made from cast iron, and the brass and antique brass are made from cast brass.

## Aegis



Aegis black



Aegis brass



Aegis polished silver

## Athena



Athena black



Athena brass



Athena polished silver

## Dallas



Dallas black



Dallas antique brass



Dallas brass



Dallas polished silver

## Vegas



Vegas black



Vegas antique brass



Vegas brass



Vegas polished silver

## Bauhaus



Bauhaus black



Bauhaus black nickel



Bauhaus gold




Bauhaus polished cast iron




Bauhaus silver

# Powerflue installation possibilities


## Examples of powerflue installations



An example of a standard powerflue installation. The gas fire is flued directly through an outside wall via a straight, horizontal length of flue.



An example of a powerflue installation using three bends.



An example of a powerflue installation using a vertical section of flue pipe and two bends.

## Kinder powerflue fires




A gas fire creates a welcoming heart to any living room but many newer homes are being built without a chimney or flue so a conventional gas fire is not an option.

However, powerflue (PF) gas fires have been specifically designed for homes without a conventional flue system providing a gas fuelled alternative heat source to an electric fire or radiator. Several of the models in the Kinder range are available as a powerflue model including the Black Magic, Camber, Kalahari and the Nevada.




The Kinder Slimline Fan System fully recessed into an outside wall leaving only a discreet 3" projection. 96mm and 183mm spacers are available if required.


### Powerflue installation example



### Nevada PF



### Kalahari MC PF, Camber MC PF and Black Magic MC PF



Please note, if required, more detailed information regarding technical specification is available from your Kinder stockist.

# Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting & servicing your Kinder fire.

- Use our intelligent search tools to find your perfect gas fire.
- Find your nearest approved Kinder stockist
- Download installation and user manuals
- Register your guarantee
- Watch videos of our stunning fires
- Interactive updated blogs to keep you informed and intrigued

[www.kindergasfires.co.uk](http://www.kindergasfires.co.uk)

# K i n d e r

FIRES FOR LIFE



## IMPORTANT NOTICE

WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.

Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

(This brochure is copyright 2016 and must not be reproduced in whole or in any part without prior written permission).