



BFM Europe Limited, Trentham Lakes,
Stoke-on-Trent, Staffordshire ST4 4TJ

Tel: 01782 339000
www.bfm-europe.com

email: info@bfm-europe.com Fax: 01782 339009

Kinder

FIRES FOR LIFE

f i r e s & s u r r o u n d s





Introduction & Our Guarantee

Kinder fires for life	4
Before you begin	6
Fire surrounds	7



high efficiency Inspired design. Advanced technology.

About Kinder high efficiency fires	5	High efficiency Hole in the Wall fires	
High efficiency suites		Passion HE	20
Da Vinci Suite HE	8	Proclaim HE	22
Distinction Suite HE	10	Eden HE	24
High efficiency Hearth Mounted fires		Balanced flue fires	
Nevada HE	12	Dakota BF	26
Kalahari HE	14	Revolution BF	28
Camber HE	16	Limours BF	30
Oasis HE	18		



Hearth Mounted fires

Nevada	32
Kalahari	34
Camber	36
Black Magic	38
Oasis	40
Caesar	42



Hole in the Wall fires

Jazz	44
Kamina	46



Options & technical information

Finishing touches	48
Kinder powerflue fires	51
Builders' opening sizes & checklist	52
Servicing & guarantee	53

Welcome to Kinder

At Kinder we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of premium gas fires and surrounds to complement all tastes and lifestyles.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards.

As a result all Kinder fires carry a 7 year guarantee to reflect my belief in their quality and durability, and our experienced Kinder retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Kinder fire as simple as possible. I hope you will find it both informative and inspiring.

Michael Power



BFM Europe
BRITISH FIRE MANUFACTURERS



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Kinder branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.





There is nothing like the immediate warmth and comfort of a Kinder Gas fire


Designed to suit your lifestyle with a combination of appealing looks, outstanding warmth and practical attention to detail - Kinder designs gas fires for all tastes, from traditional to contemporary, and including many models available as powerflue and balanced flue options.

All our fires feature a Flame Supervision Device (FSD) and all conventional flue models feature an Oxygen Depletion Sensor (ODS) for maximum safety. The ODS is a device which shuts off the gas supply to the main burner in the unlikely event of a fault. The FSD is a device which detects the presence of a flame, and in the absence of that flame, prevents uncontrolled release of gas to the burner.

Kinder products are stocked by leading independent fire specialists located

throughout the UK. These retailers are fully trained to make the choice and subsequent installation of your Kinder fire as seamless as possible. By dialing 0800 040 7959 you will be connected directly to your nearest Kinder stockist. Alternatively you may prefer to visit our website at www.gas-fires.co.uk

Everything you need to know about gas fires, from alternative power supplies to flue types is on the following pages, so you can sit back and relax with Kinder from the start.



Our Guarantee

Kinder fires are built to last at our state-of-the-art UK manufacturing facility, where our quality standards meet the stringent demands of ISO 9001/2000. That's why we offer a 7 year guarantee as standard on all our fires. See page 53 for details.



Inspired design

Advanced technology



Kinder High Efficiency gas fires - up to 94% net efficiency

Kinder has always had a reputation as a manufacturer of some of the most efficient fires on the market. Now we are setting new industry standards with the Kinder HE high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires.

Kinder's R&D team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

How does a Kinder HE fire work? HE inset gas fires provide a higher efficiency as they produce both radiant and convected heat.

Radiant heat is generated by the fuel bed and reflected into the room by the glass front of the fire. At the same time convected heat is produced from cool air which is drawn through a heat exchanger and emitted through a canopy at the top of the fire as warm room air.

 <p>Gas Fire Suites Da Vinci 8</p> <p>83% net efficiency</p> <p>Distinction 10</p>	 <p>Hearth Mounted Fires Oasis HE 18</p> <p>89% net efficiency</p> <p>Nevada HE 75% 12 Kalahari HE 78% 14 Camber HE 78% 16</p>	 <p>Hole in the Wall Fires Proclaim HE 22</p> <p>87% net efficiency</p> <p>Passion HE 78% 20 Eden HE 83% 24</p>	 <p>Balanced Flue Fires Revolution BF 28</p> <p>94% net efficiency</p> <p>Dakota BF 80% 26 Limours BF 87% 30</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Before you begin

There is a Kinder fire for all tastes, from traditional to contemporary chic. However, before you make your final selection, please take time to consider the following:

Radiant or Convector?

A **radiant fire** emanates heat from the combustion chamber only, which is why Kinder radiant fires incorporate a glowing back panel to maximise heat output. A **convector fire** has the added benefit of a heat exchanger attached to the back of the fire. This draws cool air in and sends it back out into the room as hot air, maximising heat output whilst keeping your fuel bills down.

Power

Your gas supply will either be Natural Gas or LPG, depending on the area in which you live.



Natural Gas - The most common gas supply



LPG - Alternative for houses with no Natural Gas supply

Chimney or Flue

Your choice of fire will be dictated by the type of chimney or flue you have. If you're not sure, then take a look at your roof and cross-reference it with the simple guide on the right. It is also worth noting that a slimline fire will fit virtually any chimney or flue, whereas a full-depth often requires a traditional chimney or rebate on the fire surround.

Please confirm your flue type by consulting your Kinder Stockist before purchase.



Brick Chimney

A conventional brick chimney is recognisable by a chimney stack with a terracotta pot or gas terminal.



Pre-Fabricated Flue

This is an interlocking metal flue tube system identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Built from concrete or clay blocks, pre-cast flues provide a rectangular section flue. They can be identified by a ridge vent or metal flue tube and terminal on the roof.

No Chimney or Flue

Some properties have no chimney or flue, in which case a balanced flue or powerflue is required.




Powerflue fires expel the flue gases directly outside the building through the use of an electronically driven fan unit mounted on the external wall. A sophisticated microprocessor monitors performance and automatically shuts off the fire in the unlikely event of operation failure.



Balanced Flue fires vent directly outside through a horizontal co-axial pipe (one pipe within a larger pipe). The outer pipe draws air in from the outside and the inner pipe expels combustion gases. An electricity supply is not required for these products.


Controls

Gas is wonderfully controllable, but which type of control suits you best? The discretion of manual ignition, concealed behind the removable ash pan... the convenience of slide control...or the luxury and style of remote control?



Manual Control

Simple and discreet. The control system is located behind the fires fret or trim. Once the fire is lit rotate the control knob to adjust the flame height and heat output.



Slide Control

A convenient control system which is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



Semi Remote Control

Light the fire using the manual control system located behind the fires trim or fret then use the remote control handset to adjust the flame height and heat output.



Fully Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



Fully Remote with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.

Fire Back Panel

Kinder offers a range of fire back panels chosen to compliment each individual fire. In some cases you may be offered a choice of back panel – look out for the symbols on the right.



Plain Back



Black Brick Back



Stone Brick Back



Black Ribbed Back



Cream Ribbed Back



Reflective Black Back

Fire Surrounds



Quality & choice as standard

Kinder Fire Surround Suites have been designed to impress, with the emphasis firmly on clean lines. This range of traditional and contemporary designs is manufactured in luxurious Portuguese Limestone.

Portuguese Limestone

Portuguese Limestone is a natural product and as such can be subject to variation in colour and veining. Small fossils and crystal lines may also be apparent in some sections of limestone making it an inherent feature of the product. These are not defects but mean that every suite will be entirely unique.

It is normally a requirement that all Limestone products be cleaned and sealed using Lithofin Power-Clean and Stain-Stop, or equivalent products, after installation. However, all Limestone products supplied by Kinder are pre-sealed to limit any marks which may be left on the product due to installation and further sealing should not be required.

When you receive your new surround there may be some colour variations. This is typical of Portuguese Limestone as the stone is a particularly porous material which absorbs moisture during manufacture and deep sea transport in the container. After 2-3 weeks in a room with an average temperature the surround will dry to a consistent colour.



Venice

For more information visit www.bfm-europe.com



Verona - page 19



Naples - page 33



Genoa - page 35




Madrid - page 41



Leon - page 43

Surrounds Dimensions



	A	B	C	D	E	F	G	H	I
Genoa	1350mm	1115mm	425mm	565mm	1370mm	200mm	75mm	380mm	55mm
Leon	1370mm	1070mm	425mm	565mm	1370mm	200mm	75mm	400mm	50mm
Madrid 54"	1372mm	1190mm	425mm	565mm	1372mm	250mm	75mm	470mm	90mm
Madrid 60"	1520mm	1190mm	425mm	565mm	1520mm	250mm	75mm	470mm	90mm
Naples	1070mm	990mm	425mm	565mm	1070mm	170mm	75mm	380mm	55mm
Verona	1290mm	1085mm	425mm	565mm	1370mm	185mm	75mm	380mm	55mm



This stunning fireplace is sure to be the centre of attention in any home. Its highly realistic log fuel bed is complemented by a beautiful and mesmerising lazy flame.

The classically designed surround will suit any decor and with a choice of brick effect or black ribbed back panels and Limestone or Travertine surround you can create either a traditional or contemporary look.

This balanced flue fire features thermostatic operation and an incredible 83% efficiency. A chimney conversion kit is available for installation into a standard brick chimney.



Specifications

Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	8.7kW
Heat Input - LOW	5.5kW
Heat Output - HIGH	6.5kW
Heat Output - LOW	3.5kW
Air vent required	Not normally


All figures measured on 350mm horizontal flue duct in accordance with clause 7.11 of BS EN 613 : 2001

Options

<p>Fuel</p>  <p>Natural Gas</p>	<p>Chimney or Flue</p>   <p>Brick Chimney* Balanced Chimney*</p>
<p>Control</p>  <p>Fully Remote with Thermostat</p>	<p>Back design</p>   <p>Stone Brick Ribbed Brick</p>

*When installed using a chimney conversion balanced flue kit

Dimensions



A 1370mm	H 1340mm
B 1157mm	I 867mm
C 230mm	J 747mm
D 380mm	K 398mm
E 620mm	L 255mm
F 217mm	M 903mm
G 688mm	



Da Vinci in Limestone with black ribbed back

Da Vinci in Travertine with brick effect back panels



83%
net efficiency



The subtle chamfered edges of the Distinction combined with a realistic log fuel bed and beautiful mesmerizing flame create a luxurious and timeless quality.

A choice of brick effect or black ribbed back panels and Limestone or Travertine surround is available.

This balanced flue fire features thermostatic operation and an incredible 83% efficiency. A chimney conversion kit is available for installation into a standard brick chimney.



Specifications

Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	8.7kW
Heat Input - LOW	5.5kW
Heat Output - HIGH	6.5kW
Heat Output - LOW	3.5kW
Air vent required	Not normally


All figures measured on 350mm horizontal flue duct in accordance with clause 7.11 of BS EN 613 : 2001

Options

Fuel  Natural Gas	Chimney or Flue   Brick Chimney* Balanced Chimney*
Control  Fully Remote with Thermostat	Back design   Stone Brick Ribbed Brick

*When installed using a chimney conversion balanced flue kit

Dimensions



Distinction in Travertine with brick effect back panels

Distinction Limestone with black ribbed back



83%
net efficiency



This slimline high efficiency fire boasts a net efficiency of up to 89% and will fit almost any chimney or flue including Pre-Cast (BS EN 1858).

It also features a large viewing window and an incredible 3.2kW heat output.




Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	4.0kW
Heat Input - LOW	2.0kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	1.4kW
Air vent required	Not normally

Options

<p>Fuel</p>  <p>Natural Gas</p>	<p>Chimney or Flue</p>    <p>Brick Chimney Pre-Fabricated Pre-Cast Chimney</p>
<p>Control</p>  <p>Manual</p>	<p>Back design</p>  <p>Plain</p>

Dimensions



89%
net efficiency

Nevada HE with Standard brass trim and Athena brass fret. Fire surround supplied by photographer.



With a net efficiency of 78%, the Kalahari HE has been designed to fit most flue types including Pre-Cast flues when installed with a 3" rebated fire surround. Coal and pebble fuel bed options are available. Choose any trim and fret combination from the Kinder fascia range on pages 54 & 55 to complement your living area.




Specifications

Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally

Options

<p>Fuel</p>  <p>Natural Gas</p>	<p>Chimney or Flue</p>    <p>Brick Chimney Pre-Fabricated Pre-Cast</p>
<p>Control</p>    <p>Manual Slide Fully Remote</p>	<p>Back design</p>  <p>Plain</p>

Dimensions



Kalahari HE with pebble fuel bed.



78%
net efficiency

Kalahari HE with Chamfered silver trim and Athena polished fret. Fire surround supplied by photographer.



The stylish polished fascia combined with a black ribbed interior and cool beach pebbles make the Camber HE a welcome centre-piece in any modern living room.

Boasting a net efficiency of 78% the Camber HE is economical as well as eye-catching. Manual and remote controlled models are available.




Specifications

Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally

Options

<p>Fuel</p>  <p>Natural Gas</p>	<p>Chimney or Flue</p>    <p>Brick Chimney Pre-Fabricated Pre-Cast</p>
<p>Control</p>   <p>Manual Fully Remote</p>	<p>Back design</p>  <p>Ribbed</p>

Dimensions



78%
net efficiency

Camber HE
Fire surround supplied by photographer.



Based on our most popular hearth mounted fire, the Oasis HE is the first model in the Kinder 'high efficiency' range. This glass fronted product is available with all Kinder trim and fret combinations.

The Oasis HE has an incredible 89% net efficiency and 4kW heat output, ensuring that this fire gives optimum heat combined with cost efficiency.





Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	5.0kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	4.0kW
Heat Output - LOW	2.3kW
Air vent required	Not normally

Options

<p>Fuel</p>  <p>Natural Gas</p>	<p>Chimney or Flue</p>   <p>Brick Chimney Pre-Fabricated</p>
<p>Control</p>    <p>Manual Slide Fully Remote</p>	<p>Back design</p>  <p>Plain</p>

Dimensions



Dimensions A & B refer to Standard trims only.



89%
net efficiency

Oasis HE with Standard brass trim, Dallas brass fret and Kinder Verona surround



The Passion is a highly stylish glass fronted hole-in-the-wall fire and boasts a 78% net efficiency. Its compact, portrait dimensions and clean lines make it perfect for modern day living. It is available with either a coal or pebble fuel bed and a choice of two trim colours: champagne or polished silver.




Specifications

Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.5kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	3.2kW
Heat Output - LOW	2.4kW
Air vent required	Not normally

Options

<p>Fuel</p>  <p>Natural Gas</p>	<p>Chimney or Flue</p>    <p>Brick Chimney Pre-Fabricated Pre-Cast</p>
<p>Control</p>   <p>Manual Fully Remote</p>	<p>Back design</p>  <p>Ribbed</p>

Dimensions



Passion with champagne trim and pebble fuel bed

Passion with silver trim and coal fuel bed



78%
net efficiency



With a heat output of 4.3kW and net efficiency of up to 87% the Proclaim HE is one of the most economical hole-in-the-wall fires available for standard brick chimney installation.

The Proclaim HE features a beautifully realistic log fuel bed and a choice of two models; a stylish black and polished silver fascia with black back panels and bronze and champagne fascia with cream back panels.



Specifications

Model Performance	Balanced Flue (BF)	Conventional Flue (CF)
Safety	FSD	FSD & ODS
Type of heat	Radiant & Convected	Radiant
Heat Input - HIGH	7.5kW	5.5kW
Heat Input - LOW	3.5kW	3.0kW
Heat Output - HIGH	5.5kW	4.3kW
Heat Output - LOW	1.5kW	1.7kW
Air vent required	Not normally	Not normally

Options

Fuel



Natural Gas

Chimney or Flue





Brick Chimney Pre-Fabricated Chimney Balanced Flue

Control




Fully Remote with Thermostat

Back design



Ribbed

Dimensions



Proclaim HE Cream with bronze & champagne trim



Proclaim HE Black with black trim

Proclaim HE with black and silver fascia



87%
net efficiency



This glass fronted landscape hole-in-the-wall fire has an incredible 83% net efficiency and up to 5.2kW heat output. It features an enchanting flame picture and comes with a choice of log or white stone fuel bed.

The Eden HE has been designed as a trimless* fire for a very minimalist appearance, or team with an optional designer trim for a more prominent centrepiece.



Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.9kW
Heat Input - LOW	3.5kW
Heat Output - HIGH	5.2kW
Heat Output - LOW	2.0kW
Air vent required	Not normally

Options

Fuel



Natural Gas LPG1

Chimney or Flue



Brick Chimney Pre-Fabricated

Control




Fully Remote with Thermostat

Back design



Plain

Dimensions



- A 870mm
- B 595mm
- C 325mm
- D 540mm
- E 795mm
- F 111mm
- G 175mm

Deluxe fascia

- A 950mm
- B 456mm
- C 15mm



Eden HE with deluxe fascia and white stones



Eden HE with white stones



83%
net efficiency

Eden HE with logs

*Please refer to the installation manual for more information regarding installation requirements.



The Dakota's stylish glass front is instantly eye-catching and helps ensure incredible efficiency.

As the Dakota is designed exclusively as a balanced flue model, even those without a chimney can still enjoy the benefits of having a Kinder gas fire.




Specifications

Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	3.8kW
Heat Input - LOW	2.5kW
Heat Output - HIGH	2.8kW
Heat Output - LOW	1.7kW
Air vent required	Not normally

Options

Fuel  Natural Gas	Flue  Balanced
Control  Manual	Back design  Black Brick

Dimensions



82%
net efficiency



Designed to fit into a standard cavity wall with a 3" rebated surround the Revolution Balanced Flue gas fire boasts efficiency of up to 94% and features a full depth coal fuel bed. This glass fronted fire has an exceptionally large viewing area and can be styled with a variety of trims and frets available from the Kinder accessories range.



Specifications


Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.6kW
Heat Input - LOW	3.0kW
Heat Output - HIGH	4.3kW
Air vent required	Not normally

Options

Fuel   Natural Gas LPG†	Flue  Balanced
Control   Manual Fully Remote	Back design  Plain

†Only available with Manual Control

Dimensions



94%
net efficiency



The Limours is Kinder's first dedicated wall mounted balanced flue fire. No chimney is required as this fire is flued directly through an outside wall. It can be simply hung on the wall with no need for any extensive building work or recessed when fitted with an additional wall plate.

The Limours is remote controlled and features a contemporary graphite fascia with stainless steel detail and an aggregate rock fuel bed.




Specifications

Model Performance	
Safety	FSD
Type of heat	Radiant & Convected
Heat Input - HIGH	4.8kW
Heat Input - LOW	2.2kW
Heat Output - HIGH	4.2kW
Air vent required	Not normally

Options

Fuel   Natural Gas LPG	Flue  Balanced
Control  Semi Remote	Back design  Ribbed

Dimensions



Hang on Wall

- A 1110mm
- B 685mm
- C 612mm
- D 145mm
- E 747mm

Inset

- A 1164mm
- B 739mm
- C 612mm
- D 100mm
- E 747mm



Limours BF as wall recessed installation

Limours BF as hang-on-the-wall installation



87%
net efficiency



Nevada

With its ultra slim design, the Nevada will fit beautifully into almost any fireplace and is also available in a powerflue version for homes without a chimney or flue. With the natural ambient glow of real-effect coals and flames, it will suit your lifestyle and your home perfectly. A pebble bed version is also available.



Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant
Heat Input - HIGH	6.5kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	3.3kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

Heat output figures stated above apply only to conventional flue models

Options

Fuel



Natural Gas

Chimney or Flue



Brick Chimney Pre-Fabricated Pre-Cast Powerflue†

Control



Manual Slide


Back design




Plain Brick Effect

†Available in Plain Back and Manual Control only

Dimensions



- A 497mm
- B 598mm
- C 550mm
- D 325mm
- E 100mm



For Powerflue dimensions please see page 51

Dimensions A & B refer to Standard trims only.



Pebble fuel bed option



Nevada with Designer black/brass trim, Dallas antique fret and Kinder Naples surround



The Kalahari instantly brings a room to life. This market leading radiant offers a real open fire look and incorporates a full-depth ceramic coal bed for beautifully realistic flames and an inviting charm. Designed to fit snugly into a pre-cast flue with a standard 3" rebate on the surround, the fire exudes a welcoming heat with maximum efficiency.



Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	3.3kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

Heat output figures stated above apply only to conventional flue models

Options

Fuel



Natural Gas LPG+

Chimney or flue



Brick Chimney Pre-Fabricated Pre-Cast Powerflue+

Control



Manual Slide Fully Remote


Back design




Plain Black Brick

† Only available on Manual or Slide Control †† Only available with Manual and Slide Control

Dimensions



- A 497mm
- B 598mm
- C 550mm
- D 327mm
- E 170mm
- F 110mm
- G 365mm



For Powerflue dimensions please see page 51
Dimensions A & B refer to Standard trims only.



Pebble fuel bed option



Kalahari with Designer silver trim, Bauhaus silver fret and Kinder Genoa surround



The Camber's contradictory balance of cool beach pebbles and blazing dancing flames captivate you on entering the room. Precision manufacturing and the unique pebble design provide an individual combination of aesthetic beauty with high quality performance. Camber Black features black ribbed back panels, cool grey pebbles and a polished silver trim. Camber Cream is available with champagne or silver trim and features cream ribbed back panels and a warm beige pebble bed.

Don't have a chimney? Don't worry. This breathtaking fire will fit almost any home.



Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	3.3kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

Heat output figures stated above apply only to conventional flue models

Options

Fuel



Natural Gas

Chimney or Flue



Brick Chimney Pre-Fabricated Pre-Cast Powerflue†

Control



Manual Fully Remote


Back design



Ribbed

†Only available with Manual Control

Dimensions



- A 520mm
- B 610mm
- C 550mm
- D 327mm
- E 170mm
- F 110mm
- G 365mm

For Powerflue dimensions please see page 51



Camber Cream with champagne trim

Camber Black with silver fascia. Surround supplied by Truestone Castings



Black Magic



A contemporary coal effect gas fire that fits in to almost all flue types including pre-cast with a 3" rebated fire surround.
The textured fascia provides the finishing touch to a stunning design that is also available as a powerflue.



Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	3.3kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

Heat output figures stated above apply only to conventional flue models

Options

Fuel



Natural Gas LPG†

Chimney or Flue



Brick Chimney Pre-Fabricated Pre-Cast Powerflue

Control



Manual Fully Remote


Back design



Ribbed

†Only available with Manual Control

Dimensions



- A 520mm
- B 610mm
- C 550mm
- D 365mm
- E 170mm



For Powerflue dimensions please see page 51



Black Magic with fire surround supplied by photographer.



The Oasis successfully marries classic looks with state-of-the-art performance and is currently one of the warmest open-fronted convector fires. The full-depth fuel bed gives a mesmerising flame effect and cosy glow ensuring an attractive centrepiece to any room.



Specifications


Model Performance	16" & Low Lintel	Oasis 18"
Safety	FSD & ODS	FSD & ODS
Type of heat	Radiant & Convected	Radiant & Convected
Heat Input - HIGH	6.9kW	8.0kW
Heat Input - LOW	4.2kW	4.2kW
Heat Output - HIGH	4.0kW	5.4kW
Heat Output - LOW	1.5kW	1.5kW
Air vent required	Not normally	5cm ²

Options

<p>Fuel</p>   <p>Natural Gas LPG†</p>	<p>Chimney or Flue</p>   <p>Brick Chimney Pre-Fabricated</p>
<p>Control</p>    <p>Manual Slide Fully Automatic Remote △</p>	<p>Back design</p>   <p>Brick Effect †† Plain</p>

† Only available with 16" Manual Control and Plain Back
 △ Only available with 16" Plain Back
 †† Only available with 16" Manual Control and 16" Slide Control Models

Dimensions



<p>Dimensions 16"</p> <p>A 485mm B 594mm C 550mm D 250mm E 400mm</p>	<p>Dimensions Low Lintel</p> <p>A 485mm B 544mm C 500mm D 270mm E 400mm</p>	<p>Dimensions 18"</p> <p>A 535mm B 594mm C 550mm D 270mm E 450mm</p>
-------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------



Oasis with Chamfered brass trim, Dallas brass fret and Kinder Madrid surround



The Caesar is a full depth convector fire featuring a highly realistic coal fuel bed and is available in manual, slide or remote control. It comes complete with a very luxurious polished silver cast iron trim and fret combination.




Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant & Convected
Heat Input - HIGH	6.9kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.0kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

Options

<p>Fuel</p>  <p>Natural Gas</p>	<p>Chimney Flue</p>   <p>Brick Chimney Pre-Fabricated</p>
<p>Control</p>    <p>Manual Slide Fully Remote</p>	<p>Back design</p>  <p>Plain</p>

Dimensions



Caesar with Kinder Leon surround



The petite dimensions of the Jazz make it perfect for modern living areas where space can be at a premium. This stunning glass fronted "hole-in-the-wall" fire comes with a highly realistic log fuel bed. Available in a choice of three models: Jazz Black, Jazz Cream and Jazz Impact. Jazz Black and Cream models are complete with high quality extruded aluminium trims which in turn offer three alternative finishes – Silver, Champagne or Black, whilst the Impact model features a stylish black glass fascia. A balanced flue version is also available*.



Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant
Heat Input - HIGH	5.5kW
Heat Input - LOW	3.0kW
Heat Output - HIGH	3.0kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

Options

Fuel



Natural Gas

Chimney or Flue



Brick Chimney Pre-Fabricated Chimney Balanced Flue

Control



Remote


Back design






Ribbed

Dimensions

Jazz Black/Cream



Jazz Impact



*Some dimensions may differ slightly from the conventional flue model. Always refer to the installation manual before completing any building work.



Jazz Black



Jazz Impact

Jazz Cream with black fascia





The sleek black glass fascia on this "hang-on-the-wall" gas fire is perfectly complemented by the unique flame pattern created by an undulating back panel. Installation is virtually hassle free as this highly contemporary fire literally hangs on the wall, thereby minimising any costly or messy building work.

With a maximum heat output of 4kW the Kamina is perfectly suited to contemporary homes requiring state-of-the-art appearance and performance.



Specifications

Model Performance	
Safety	FSD & ODS
Type of heat	Radiant
Heat Input - HIGH	6.5kW
Heat Input - LOW	4.2kW
Heat Output - HIGH	4.0kW
Heat Output - LOW	1.5kW
Air vent required	Not normally

Options

Fuel



Natural Gas

Chimney or Flue




Brick Chimney Pre-Fabricated Chimney Pre-Cast Chimney

Control



Fully Automatic Remote

Dimensions



- A 890mm
- B 650mm
- C 150mm
- D 445mm



Finishing touches



Kinder also offers a range of fascias, trims and frets to complete the look of your chosen gas fire. In some cases products will be sold complete with the fascias or trims shown in this brochure. Please consult your retailer for more details.

Fascias



Camber Silver



Camber Champagne



Black Magic



Corinthian Silver



Corinthian Brass



Corinthian Black


Trim options

Designer trim



Designer Brass Designer Black/Brass Designer Brass/Black Designer Silver Designer Black/Silver Designer Silver/Black

Standard trim



Standard Brass Standard Silver Standard Brushed Standard Black

Chamfered trim



Chamfered Brass Chamfered Silver

Cast iron trims



Cast Brass Cast Black Cast Polished Caesar Polished

Wide trims



Wide Brass

Fret options



Dallas Black Vegas Black Bauhaus Black Athena Black Aegis Black



Dallas Brass Vegas Brass Bauhaus Brass Athena Brass Aegis Brass



Dallas Polished Vegas Polished Bauhaus Polished Athena Polished Aegis Polished



Dallas Antique Vegas Antique Caesar Polished

Finishing touches at a glance



To find out if your preferred fascia, or trim and fret combination, is suitable for the fire you have chosen, please refer to the table here:

Fire	Frets	Trims						Fascias	
	Aegis/Athena/Bauhaus/ Caesar/Dallas/Vegas	Standard	Wide Brass	Chamfered	Designer	Cast	Caesar	Camber/ Black Magic	Corinthian
Nevada HE	✓	✓	✓	✓	✓	✓			
Kalahari HE	✓	✓	✓	✓	✓	✓			
Oasis HE MC & RC	✓	✓	✓	✓	✓	✓			
Oasis HE SC	✓	✓			✓				
Dakota MC BF	✓	✓							
Revolution BF	✓	✓	✓	✓	✓	✓			
Nevada MC (Also PF)	✓	✓	✓	✓	✓	✓			✓
Nevada SC	✓	✓			✓				
Kalahari MC (Also PF)	✓	✓	✓	✓	✓	✓		✓	✓
Kalahari SC (Also PF)	✓	✓			✓				
Kalahari RC	✓	✓	✓	✓	✓	✓		✓	✓
Oasis MC	✓	✓	✓	✓	✓	✓	✓	✓	✓
Oasis SC	✓	✓			✓		✓		
Oasis LL MC	✓	✓	✓				✓		
Oasis RC	✓	✓	✓	✓	✓	✓	✓	✓	✓
18" Oasis MC	✓	✓*	✓						
18" Oasis SC	✓	✓*							

Camber, Caesar, Concept, Jazz, Kamina, Limours, Passion, Proclaim, Eden and Pure models can only be purchased complete with the fascia shown.
*Only available with Standard Brass trim.



Kinder powerflue fires




A gas fire creates a welcoming heart to any living room but many newer homes are being built without a chimney or flue so a conventional gas fire is not an option.

However, powerflue (PF) gas fires have been specifically designed for homes without a conventional flue system providing a gas fuelled alternative heat source to an electric fire or radiator. Several of the models in the Kinder range are available as a powerflue model including the Black Magic, Camber, Kalahari and the Nevada.


Example of powerflue installation




Top view-
Kalahari SC PF




Side view-
Kalahari SC PF




Top view-
Kalahari MC PF, Camber MC PF
and Black Magic MC PF



Side view-
Kalahari MC PF, Camber MC PF
and Black Magic MC PF



Top view-
Nevada PF



Side view-
Nevada PF

Please note, if required, more detailed technical specification information is available from your Kinder stockist.

Builders' opening sizes



Fire	Height Minimum	Height Maximum	Width Minimum	Width Maximum
Nevada HE	555mm	570mm	335mm	430mm
Kalahari HE	550mm	570mm	370mm	450mm
Camber HE	550mm	570mm	370mm	450mm
Oasis HE	550mm	570mm	400mm	450mm
Passion HE	550mm	570mm	370mm	450mm
Proclaim HE CF* & BF*	540mm	545mm	750mm	780mm
Eden*	310mm	555mm	790mm	835mm
Dakota BF	550mm	560mm	410mm	430mm
Revolution BF	550mm	570mm	405mm	450mm
Limours BF	615mm	623mm	750mm	780mm
Nevada	550mm	570mm	335mm	430mm
Kalahari	550mm	570mm	375mm	440mm
Camber	550mm	570mm	375mm	440mm
Black Magic	550mm	570mm	375mm	440mm
Oasis 16"	550mm	570mm	405mm	440mm
Oasis 18"	550mm	575mm	452mm	490mm
Caesar	550mm	570mm	375mm	440mm
Kamina	300mm	440mm	300mm	440mm

*Always refer to installation instructions for opening sizes.
For Da Vinci and Distinction fire suite models please refer to Installation Manual.
All the above dimensions are based on installation into brick built chimneys.
Alternative minimum/maximum opening sizes may be required to achieve clearance from combustible studwork used in the creation of "false" chimney breasts etc.

Air vent requirements may vary depending on appliance and property type. Please refer to the product installation manual and consult your Gas Safe Register engineer for further details.

Have you...

- checked the type of gas supply you have? [SEE PAGE 6](#)
- looked at your roof for the presence of a chimney or flue? [SEE PAGE 6](#)
- decided whether you want a convector or radiant fire, then either slimline or full-depth? [SEE PAGE 6](#)
- selected the control type you want? [SEE PAGE 6](#)
- opted for the choice of back panel, if applicable? [SEE PAGE 6](#)
- chosen the trim and fret combination you like? [SEE PAGE 48-50](#)
- checked your size and dimension requirements? [SEE PAGE 52-53](#)
- picked a fire surround and mantelpiece? [SEE PAGE 7](#)
- contacted an approved Kinder stockist to arrange purchase and installation? [VISIT WWW.GAS-FIRES.CO.UK TO FIND YOUR NEAREST STOCKIST](#)
- turned on to the immediate warmth and controllability of your new Kinder gas fire!

Servicing and our guarantee



We understand that your gas fire is going to be the heart of your home. That's why we are passionate about ensuring our gas fires offer the ultimate in build quality and looks.



From the beginning, our Design Team sets the standard by creating new and innovative products, so you'll find exactly the fire you have in mind. Then there's our Development Team. They consistently deliver higher safety and efficiency ratings to give you total confidence.

Furthermore, before we commence manufacture, all models are assessed and approved by leading independent organisations and each fire rigorously checked by our Quality Control Department prior to leaving our state-of-the-art facility.

All in all, guaranteeing that when you settle down in front of a Kinder fire, you'll have the very best in gas fire technology behind it.

Every Kinder gas fire carries a 7 Year Comprehensive Guarantee providing you with reassurance and peace of mind. This means that your fire is guaranteed for seven years against manufacturing and material defects, including parts and labour.

There is also an Extended Lifetime Guarantee which covers all functional parts of the gas fire, excluding electronic components and labour costs. Both guarantees are subject to our 'Conditions of guarantee' including annual service and annual replacement of the oxy-pilot assembly.

We offer these guarantees, unlike other manufacturers, as a sign of our commitment to the highest standards of build quality, ensuring that life will revolve around your Kinder fire for many years to come. In-line with gas industry practice, we recommend that all gas appliances should be serviced annually by a Gas Safe Register engineer to ensure continued safe operation and optimum performance throughout the lifetime of the product. Gas Safe Register engineers are available directly through our Service Department.



IMPORTANT NOTICE

WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

(This brochure is copyright 2009 and must not be reproduced in whole or in any part without prior written permission.)