

VERINE
FIRES + TO + INSPIRE

BFM Europe Limited, Trentham Lakes,
Stoke-on-Trent, Staffordshire ST4 4TJ

Tel: 01782 339000

www.verine.co.uk

email: info@bfm-europe.com Fax: 01782 339009



WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

(This brochure is copyright 2009 and must not be reproduced in whole or in any part without prior written permission.)





Welcome to Verine

At Verine we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of premium gas fires to complement all tastes and lifestyles.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards.

As a result all Verine fires carry a 5 year guarantee to reflect my belief in their quality and durability, and our experienced Verine retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Verine fire as simple as possible. I hope you will find it both informative and inspiring.



VERINE

Beautiful fires, designed to allure

Choose a Verine fire and all your expectations will be fulfilled. Elegant, sophisticated and designed to perfection. Verine fires are all this and more. Crafted to not only captivate and beguile, they are built to the highest standards, are energy efficient and perform brilliantly.

Expect optimum quality & performance from your fire

Verine fires are built to last in our state-of-the-art UK manufacturing facility where our quality standards meet the stringent demands of ISO 9001/2000. That's why we are able to offer an impressive 5 Year Guarantee on all gas fires.

Every fire in the range features a Flame Supervision Device (FSD) which detects the presence of a flame, and in the absence of that flame, prevents uncontrolled release of gas to the burner. For maximum safety each conventional flue model also includes an Oxygen Depletion Sensor (ODS) which shuts off the gas supply to the main burner in the unlikely event of a fault.

We recommend that all gas appliances be serviced by a Gas Safe Register engineer to ensure continued safe operation and optimum performance throughout the lifetime of the product. In order to encourage and promote this good practice, an annual service, including replacement of the oxy-pilot, is a condition of our 5 Year Guarantee.

Expect the highest level of after sales service & expert advice

For over 45 years Verine have sold quality products and given quality service, elegance and innovation to the fireplace industry. Specially appointed retailers have been established nationally to display our products, install them and give expert advice to help you choose the correct appliance to suit your needs.

We want you to get the maximum benefit from this expertise and therefore recommend you avoid purchasing any Verine product over the internet, especially from companies not located in your area who are unable to offer the highest levels of aftersales service.

BFM Europe
BRITISH FIRE MANUFACTURERS



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Verine branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Our 5 year guarantee

From design stage to manufacture every effort is taken to produce an appliance that will provide exceptional and continued standards of safety and performance. Every fire is assessed and approved by leading independent organisations and rigorously checked by our Quality Control department before leaving our state-of-the-art facility.

Therefore, we are confident you'll be enjoying the warmth of a Verine fire for many years to come. That's why we are able to provide a remarkable 5 Year Guarantee† with every gas fire, giving you reassurance and peace of mind. We will guarantee your fire for 5 Years* against manufacturing and material defects, including parts and labour, subject to proof of annual service and replacement of the oxy-pilot assembly.

†A 7 Year Guarantee is offered on selected products. *Terms and conditions apply.

Contents

Find your perfect fire

High Efficiency	4
Before you begin	5

High Efficiency Fires

Da Vinci/Distinction Suites	6-7
Orbis HE	8-9
Quasar HE	10-11
Frontier HE	12-13
Midas HE	14-15
Eden HE	16-17
Fontana HE	18-19
Alpena BF HE	21-21
Marcello BF HE	22-23
Ravena HE	24-25

Hearth Mounted Fires

Acclaim	26-27
Zodiac	28-29
Rapport	30-31
Quasar	32-33
Frontier	34-35
Sigma	36-37
Midas	38-39
Orbis	40-41
Zephyr	42-43
Zenith	44-45
Meridian	46-47

Wall Mounted Fires

Magma	48-49
Atina	50-51
Vertex	52-53
Carmelo	54-55
Fire Options.....	56-57
Power Flue Installations	58-59

Get up to 94% net efficiency from your gas fire



Verine has always had a reputation as a manufacturer of some of the most efficient fires on the market. Now we have set new industry standards with the introduction of the Verine HE high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires. Verine's R&D team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.



83%
net efficiency

Distinction HE
Page 6



89%
net efficiency

Orbis HE
Page 8



78%
net efficiency

Quasar HE
Page 10



78%
net efficiency

Frontier HE
Page 12



89%
net efficiency

Midas HE
Page 14



83%
net efficiency

Eden HE
Page 16



87%
net efficiency

Fontana
Page 18



94%
net efficiency

Alpena BF
Page 20



87%
net efficiency

Marcello
Page 22



76%
net efficiency

Ravena Powerflue
Page 24



75%
net efficiency

Meridian
Page 46



72%
net efficiency

Magma
Page 48

Before you begin

There is a Verine fire for all tastes, from traditional to contemporary chic. However, before you make your final selection, please take time to consider the following.

RADIANT OR CONVECTOR?

A radiant fire emanates heat from the combustion chamber only, which is why Verine radiant fires incorporate a glowing back panel to maximise heat output. A convector fire has the added benefit of a heat exchanger attached to the back of the fire. This draws cold air in and sends it back out into the room as hot air, maximising heat output whilst keeping your fuel bills down.

POWER

Your gas supply will either be Natural Gas or LPG, depending on the area in which you live.



Natural Gas - The most common gas supply



LPG - Alternative for houses with no Natural Gas supply

CHIMNEY OR FLUE?

Your choice of fire will be dictated by the type of chimney or flue you have. If you're not sure, then take a look at your roof and cross-reference it with the simple guide below. It is also worth noting that a slimline fire will fit virtually any chimney or flue, whereas a full-depth often requires a traditional chimney or rebate on the fire surround.



Brick Chimney
A conventional brick chimney is easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue
This is an interlocking metal flue tube system easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue
Built from concrete or clay blocks, pre-cast flues provide a rectangular section flue. They can be identified by a ridge vent or metal flue tube and terminal on the roof.

NO CHIMNEY OR FLUE?

Some properties have no chimney or flue, in which case a balanced flue or powerflue is required.



Powerflue fires expel the flue gases directly outside the building through the use of an electronically driven fan unit mounted on the external wall. A sophisticated microprocessor monitors performance and automatically shuts off the fire in the unlikely event of operation failure.



Balanced Flue fires vent directly outside through a horizontal co-axial pipe (one pipe within a larger pipe). The outer pipe draws air in from the outside and the inner pipe expels combustion gases. An electricity supply is not required for these products.

CONTROLS

Gas is wonderfully controllable, but which type of control suits you best? The discretion of manual ignition, concealed behind the removable ash pan...the convenience of slide control...or the luxury and style of remote control?



Manual Control
Simple and discreet. The control system is located behind the fires fret or trim. Once the fire is lit rotate the control knob to adjust the flame height and heat output.



Slide Control
A convenient control system which is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



Touchlight (T/L) - Control via two switches, On/Off & High/Low



Easy Flame (EFC) - Discreet buttons to control temperature



Semi Remote Control
Light the fire using the manual control system located behind the fires trim or fret then use the remote control handset to adjust the flame height and heat output.



Fully Remote Control
The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



Fully Remote with Thermostat
The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.

FIRE BACK PANEL

Some Verine fires offer you the option of a brick back panel, plain back panel or ribbed back panel – simply choose the one that suits your room from the options available.



Plain Back



Brick Effect Back



Ribbed Back

FUEL BED OPTIONS

Most Verine fires are available with the option to specify your own fuel bed and create a look to suit your home.



Coals



Pebbles



White Stones



Driftwood



Logs



Flame Only

The Da Vinci & Distinction Suites


These stunning fireplaces have highly realistic log fuel beds which are complemented by a mesmerizing lazy flame. Both surrounds will suit traditional or contemporary décor with a choice of brick effect or black ribbed back panels and Limestone or Travertine surrounds. These balanced flue fires feature thermostatic remote operation and can be installed in a standard brick chimney using a chimney conversion kit.

SPECIFICATIONS

Model	Da Vinci & Distinction
Description	Complete balanced flue suite
Safety	Flame supervision device
Type of heat	Radiant & Convected
Heat input - high	8.7kW
Heat input - low	5.5kW
Heat output - high	6.5kW
Net Efficiency	up to 83%
Air vent required	Not normally required

All figures measured on 350mm horizontal flue duct in accordance with clause 7.11 of BS EN 613 : 2001

DIMENSIONS



Da Vinci	Distinction
A 1370mm	A 1460mm
B 1157mm	B 1235mm
C 230mm	C 229mm
D 380mm	D 465mm
E 620mm	E 620mm
F 217mm	F 217mm
G 688mm	G 690mm
H 1340mm	H 1460mm
I 867mm	I 867.4mm
J 747mm	J 747.4mm
K 398mm	K 398mm
L 255mm	L 255mm
M 903mm	M 903mm

OPTIONS



Natural Gas



Brick Chimney*



Balanced Flue



Fully Remote with Thermostat



Brick Back



Ribbed Back

ALTERNATIVES



Distinction in Limestone with brick effect back panels



Da Vinci in Travertine with brick effect back panels



The Orbis HE

The Orbis HE is a full depth high efficiency fire providing a maximum heat output of 4kW and an incredible 89% net efficiency. This glass fronted fire is available with a choice of manual, slide and remote control operation. Create your own look with an extensive range of trims and frets shown on pages 56-57.

SPECIFICATIONS

Description	Full depth inset convector
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant & Convected
Heat input - high	5.0kW
Heat input - low	3.5kW
Heat output - high	4.0kW
Net Efficiency	up to 89%
Air vent required	Not normally required

OPTIONS



Natural Gas



Brick Chimney



Pre-Fabricated



Manual Control



Slide Control




Fully Remote Control





Plain Back

DIMENSIONS



A 497mm
B 598mm
C 550mm
D 230mm
E 400mm



Dimensions A & B refer to Standard trim only



The Quasar HE

The Quasar HE offers an impressive net efficiency of up to 78% and features one of the most realistic coal fuel beds on the market.

This glass fronted product has been designed to fit in to most chimney and flue types, including Pre-Cast flue when installed with a 3" rebated fire surround. Manual, slide and remote control options are available to choose from.

SPECIFICATIONS

Description	Full depth inset convector
Safety	Flame supervision device
Type of heat	Radiant & Convected
Heat input - high	4.5kW
Heat input - low	3.5kW
Heat output - high	3.2kW
Net Efficiency	up to 78%
Air vent required	Not normally required

OPTIONS



Natural Gas



Brick Chimney



Pre-Fabricated



Pre-Cast



Manual Control



Slide Control




Fully Remote Control




Plain Back

DIMENSIONS



- A 497mm
- B 598mm
- C 550mm
- D 327mm
- E 180mm
- F 110mm
- G 365mm



Dimensions A & B refer to Standard trim only

FUEL BED ALTERNATIVES



Coals



Pebbles



Shown: The Quasar HE with Black/Brass trim and Blenheim Antique fret

The Frontier HE

The Frontier HE is the epitome of modern day living combining the benefits of a highly efficient gas fire with sleek contemporary styling. The cool stainless steel lines of this glass fronted fire are framed by a subtly textured black trim. Frontier HE is available as a hearth mounted or hole-in-the-wall fire.

SPECIFICATIONS


Description	Full depth inset convector
Safety	Flame supervision device
Type of heat	Radiant & Convected
Heat input - high	4.5kW
Heat input - low	3.5kW
Heat output - high	3.2kW
Net Efficiency	up to 78%
Air vent required	Not normally required

OPTIONS



* only available on hearth mounted models

DIMENSIONS



ALTERNATIVES



Frontier HE hole-in-the-wall with pebble fuel bed



Frontier HE hole-in-the-wall with coal fuel bed

FUEL BED ALTERNATIVES



Coals



Pebbles

Shown: The Frontier HE hearth mounted with coal fuel bed



The Midas HE

This slimline high efficiency fire boasts a net efficiency of up to 89% and will fit almost any chimney or flue including pre-cast (BS EN 1858).

It also features a large viewing window and an incredible 3.2kW heat output.

SPECIFICATIONS

Description	Full depth inset convector
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant & Convected
Heat input - high	4.0kW
Heat input - low	2.0kW
Heat output - high	3.2kW
Net Efficiency	up to 89%
Air vent required	Not normally required

OPTIONS



Natural Gas



Brick Chimney



Pre-Fabricated



Pre-Cast




Manual Control



Plain Back

DIMENSIONS

- A 497mm
- B 598mm
- C 550mm
- D 125mm
- E 327mm



Dimensions A & B refer to Standard trim only



Shown: The Midas HE with Designer silver and black trim and Elegance polished fret.

The Eden HE

This glass fronted landscape hole-in-the-wall fire has an incredible 83% net efficiency and up to 5.2kW heat output. It features an enchanting flame picture and comes with a choice of log or white stone fuel bed. The Eden HE has been designed as a trimless* fire for a very minimalist appearance, or team with an optional designer trim for a more prominent centrepiece.

SPECIFICATIONS

Description	Full depth inset convector
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant & Convected
Heat input - high	6.9kW
Heat input - low	2.0kW
Heat output - high	5.2kW
Net Efficiency	up to 83%
Air vent required	Not normally required

OPTIONS



Natural Gas LPG*



Brick Chimney Pre-Fabricated





Fully Remote with Thermostat



Plain Back

DIMENSIONS



Deluxe fascia dimensions
 A 950mm
 B 456mm
 C 15mm

ALTERNATIVES



Eden HE trimless with white stones



Eden HE Deluxe with white stones




The Fontana HE

The Fontana has an incredible 87% net efficiency and is operated by a thermostatic remote control system. It features a striking graphite grey and stainless steel fascia and comes with a highly realistic log fuel bed. A balanced flue model is also available.

SPECIFICATIONS

Description	Hole-in-the-wall convector	
Safety	Flame supervision device & oxygen depletion sensor	
Type of heat	Radiant & Convected	
Model	Fontana	Fontana BF
Heat input - high	5.5kW	7.5kW
Heat input - low	3.0kW	3.5kW
Heat output - high	5.5kW	5.5kW
Net Efficiency	up to 82%	up to 82%
Air vent required	Not normally required	Not normally required

DIMENSIONS



Conventional Flue

A	990mm	D	515mm
B	685mm	E	727mm
C	385mm		

Balanced Flue

A	990mm	D	128mm
B	685mm	E	515mm
C	350mm	F	725mm

OPTIONS



Natural Gas



Brick Chimney



Pre-Fabricated



Balanced Flue



Fully Remote with Thermostat



Ribbed Back



The Alpena

The Alpena boasts up to 94% efficiency, it is a glass fronted fire featuring plain back panels and a deep coal fuel bed (flame picture will differ on balanced flue model). The product can be styled with a variety of trims and frets available in the Verine range (see pages 56-57).

SPECIFICATIONS

Description	Full depth inset convector
Safety	Flame supervision device
Type of heat	Radiant & Convected
Model	Alpena BF
Heat input - high	4.6kW
Heat input - low	3.0kW
Heat output - high	4.3kW
Net Efficiency	up to 94%
Air vent required	Not normally required


Heat input and output figures are specific to natural gas models only

OPTIONS



* only available on manual control models

DIMENSIONS



Dimensions A & B refer to Standard trim only

TRIM ALTERNATIVES



Alpena with Expression Black/Silver trim



Expression Bronze/Champagne



Shown: The Alpena with Slimline Brass trim and Bauhaus Brass fret

The Marcello

This high efficiency balanced flue fire is perfect for modern homes without a chimney or flue and features a natural stone fuel bed. The Marcello can be wall hung or inset into most external walls* and is available with an optional stainless steel trim.


* An additional wall plate is required for inset applications.

SPECIFICATIONS

Description	Hang-on-the-wall balanced flue
Safety	Flame supervision device
Type of heat	Radiant & Convected
Heat input - high	4.8kW
Heat input - low	2.2kW
Heat output - high	4.2kW
Net Efficiency	up to 87%
Air vent required	Not normally required

Heat input and output figures are specific to natural gas models only

DIMENSIONS



Hang on the Wall

A	1110mm	D	145mm
B	685mm	E	747mm
C	612mm		

Inset

A	1164mm	D	100mm
B	739mm	E	747mm
C	612mm		

OPTIONS



Natural Gas



LPG



Balanced Flue



Semi Remote Control



Ribbed Back

TRIM ALTERNATIVES



Inset with rear wall plate



Shown: The Marcello wall mounted with optional stainless steel trim

The Ravena Powerflue


The Ravena is one of the most economical Powerflue fires available with an exceptional efficiency of up to 76%. It effectively combines a deep fuel bed with a slimline construction, allowing the fire to be fitted with most standard fireplaces. See pages 56-57 for more information about Powerflue systems and installation possibilities.

SPECIFICATIONS

Description	Full depth inset powerflue
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant & Convected
Heat input - high	7.0kW
Heat input - low	4.1kW
Heat output - high	5.3kW
Net Efficiency	up to 76%
Air vent required	Not normally required

Heat input and output figures are specific to natural gas models only

DIMENSIONS



OPTIONS



Natural Gas LPG



Powerflue



Manual Control



Plain Back



Shown: The Ravena HE with Designer Black & Stainless Steel trim, Media Polished fret and coal fuel bed

The Acclaim

An ideal replacement for a real coal fire, the Acclaim is a tapered inset fire specifically designed to fit into existing firebacks. Flickering flames and a deep fuel bed glow create a highly realistic effect capturing the essence of a real open fire. A variety of models and sizes, including a high leg suitable for Victorian Cast fascias, are available to suit most chimney applications.

SPECIFICATIONS

Description	Full depth inset tray			
Safety	Flame supervision device & oxygen depletion sensor			
Type of heat	Radiant			
Model	16"	16"NV	VIC16"	18"
Heat input - high	8.2kW	6.8kW	6.8kW	9.7kW
Heat input - low	4.6kW	4.1kW	4.1kW	4.6kW
Heat output - high	4.0kW	3.3kW	3.3kW	4.3kW
Air vent required	100cm ²	Not normally required	Not normally required	100cm ²


Heat input and output figures are specific to natural gas models only

OPTIONS



* not available on Acclaim 16"
 † not Acclaim 18"
 ■ not Acclaim VIC

DIMENSIONS



16"/VIC16"		18"	
A	350mm	A	400mm
B	200mm	B	200mm
C	220mm	C	270mm



Shown: The Acclaim with Bauhaus Black fret and coal fuel bed

The Zodiac

The Zodiac is a fully open fronted deep fuel effect fire featuring a 'stepped' fireback designed to maximise heat output whilst also providing wonderful warmth and glow. This model is available with the option of either manual, Easyflame or remote control.

SPECIFICATIONS

Description	Full depth inset radiant	
Safety	Flame supervision device & oxygen depletion sensor	
Type of heat	Radiant	
Model	16"	18"
Heat input - high	6.8kW	9.6kW
Heat input - low	4.1kW	4.6kW
Heat output - high	3.7kW	4.9kW
Air vent required	Not normally required	Yes


Heat input and output figures are specific to natural gas models only

OPTIONS



† not Zodiac 18" or 420
 ■ only available on Zodiac 16" Natural Gas

DIMENSIONS



16"		18"	
A	497mm	A	539mm
B	598mm	B	585mm
C	550mm	C	550mm
D	225mm	D	225mm
E	400mm	E	449mm

Dimensions A & B refer to Standard trim only



Shown: The Zodiac with Curved Brass trim, Media Brass fret and coal fuel bed

The Rapport

With a width of 22" the Rapport is an ideal fire for fireplaces incorporating a large opening area. Choose either ribbed or brick effect ceramic back panels to complement your chosen style.

SPECIFICATIONS

Description	Full depth inset radiant
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant
Heat input - high	11.5kW
Heat input - low	4.8kW
Heat output - high	N/A
Air vent required	100cm ²

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas LPG*



Brick Chimney




Manual Control Semi Remote Control



Ribbed Back Brick Back

* only available on Manual Control products

DIMENSIONS



FUEL BED ALTERNATIVES



Coals



Logs



Shown: The Rapport with Slimline Brass trim and Elegance Brass fret

The Quasar

The Quasar has been specifically designed as a multi-installation fire and will fit most flue types including Pre-cast when fitted with a 3" rebated surround. It is also suitable for installation into a standard chimney without the need to remove the chairbrick. There is a choice of coal or pebble fuel bed and a Powerflue option is available for homes without a chimney.

SPECIFICATIONS

Description	Full depth inset radiant	
Safety	Flame supervision device & oxygen depletion sensor	
Type of heat	Radiant	
Model	Quasar	Quasar PF
Heat input - high	6.8kW	7.0kW
Heat input - low	4.1kW	4.3kW
Heat output - high	3.6kW	4.0kW
Air vent required	Not normally required	Not normally required

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas

LPG †



Brick Chimney

Pre-Fabricated

Pre-Cast

Powerflue



Manual Control

Semi Remote Control *

Easy Flame Control **

Touchlite **

Slide Control ††



Plain Back



Ribbed Back

Brick Back

† Only available on Quasar manual control brick or plain back models and Quasar PF Touchlite control
▪ Natural Gas only

** Powerflue only
* Not available on Powerflue models
†† Not available on Powerflue or LPG models

DIMENSIONS



Dimensions A & B refer to Standard trim only

For Powerflue dimensions see page 55

FUEL BED ALTERNATIVES



Coals



Pebbles *

* only available with Plain and Ribbed back, Natural Gas, Manual or Touchlite control models



The Frontier

This open fronted radiant fire features a contemporary one piece fascia and is available with a choice of coal or pebble fuel bed. The Frontier has the option of manual or remote control operation and will fit in to most chimney and fuel types including Pre-cast when installed with a 3" rebated fire surround.

SPECIFICATIONS

Description	Full depth inset radiant
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant
Model	Frontier
Heat input - high	6.8kW
Heat input - low	4.1kW
Heat output - high	3.6kW
Air vent required	Not normally required

OPTIONS



Natural Gas



Brick Chimney



Pre-Fabricated



Pre-Cast



Powerflue



Manual Control





Semi Remote Control



Ribbed Back

DIMENSIONS



The Sigma

The Sigma features a modern one piece fascia that comes in a variety of colour combinations to complement any décor. This fire is suitable for installation into almost any flue type, including a Powerflue option and is available with a choice of coal or pebble fuel bed.

SPECIFICATIONS

Description	Full depth inset radiant	
Safety	Flame supervision device & oxygen depletion sensor	
Type of heat	Radiant	
Model	Sigma	Sigma PF
Heat input - high	6.8kW	7.0kW
Heat input - low	4.1kW	4.3kW
Heat output - high	3.6kW	4.0kW
Air vent required	Not normally required	Not normally required

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas

LPG



Brick Chimney

Pre-Fabricated

Pre-Cast

Powerflue



Manual Control

Semi Remote Control




Ribbed


Plain Back

▪ not available on Powerflue models or LPG models

DIMENSIONS



A 513mm
B 585mm
C 550mm
D 180mm
E 350mm



For Powerflue dimensions see page 55

TRIM & FUEL BED ALTERNATIVES



Bronze/Champagne



Black/Silver



Coals



Pebbles*

* only available on Sigma manual control. Not available on Sigma PF



Shown: The Sigma with Champagne trim and pebble fuel bed

The Midas

This ultra-slim radiant offers great flexibility and ease of installation. As well as being suitable for installation into standard chimneys and flues, the Midas is also available as a multi-installation Powerflue which can be flued from the side or rear of the product so that the fire does not need to be fitted against an outside wall (see pages 56-57 for further details). Coal or pebble fuel bed options are available.

SPECIFICATIONS

Description	Slimline inset radiant	
Safety	Flame supervision device & oxygen depletion sensor	
Type of heat	Radiant	
Model	Midas	Midas PF
Heat input - high	6.8kW	6.8kW
Heat input - low	4.2kW	4.6kW
Heat output - high	3.9kW	4.3kW
Air vent required	Not normally required	Not normally required

Heat input and output figures are specific to natural gas models only

OPTIONS




Natural Gas LPG*



Plain Back

* Only available on Powerflue models
 † Not available on Powerflue models
 ** Powerflue only

DIMENSIONS



Dimensions A & B refer to Standard trim only

FUEL BED ALTERNATIVES



Coals



Pebbles*

* Natural Gas only on Midas PF



The Orbis

With a maximum heat output of 4kW the Orbis is one of the warmest open-fronted convector fires in the Verine range. It features a mesmerising and highly realistic coal fuel bed making this product one of the closest things you can get to a real coal fire. This model is available with a choice of manual, slide or remote control operation and a wide range of trims and frets (see pages 56-57) ensuring you'll get the product that is just right for you.

SPECIFICATIONS

Description	Full depth inset tray
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant & Convected
Heat input - high	6.9kW
Heat input - low	4.2kW
Heat output - high	4.0kW
Air vent required	Not normally required

OPTIONS



Natural Gas LPG*



Brick Chimney Pre-Fabricated




Manual Control Remote Control Slide Control



Plain Back

* Only available on manual control models

DIMENSIONS



Dimensions A & B refer to Standard trim only



Shown: The Orbis with Profiled Stainless Steel trim and Bauhaus Polished fret

The Zephyr

The Zephyr convector fire features a highly realistic, deep coal or pebble fuel bed which creates mesmerising flame aesthetics. Choose from manual, remote or Easy Flame control options.

SPECIFICATIONS

Description	Full depth inset convector
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant & Convected
Model	Zephyr
Heat input - high	6.8kW
Heat input - low	4.1kW
Heat output - high	3.6kW
Air vent required	Not normally required


Heat input and output figures are specific to natural gas models only

OPTIONS



■ Natural Gas only

DIMENSIONS



- A 490mm
- B 585mm
- C 538mm
- D 249mm
- E 398mm

FUEL BED ALTERNATIVES



Coals



Pebbles



Shown: The Zephyr with Designer Black & Brass trim and Elegance Brass fret

The Zenith

Featuring a wonderfully realistic flame effect the Zenith is an efficient convector fire designed to fit many chimney and flue systems, including Powerflue for homes without a chimney. A range of control options is available including manual, Easy Flame and remote control, with a choice of coal or pebble fuel bed.

SPECIFICATIONS


Description	Full depth inset convector	
Safety	Flame supervision device & oxygen depletion sensor	
Type of heat	Radiant & Convected	
Model	Zenith	Zenith PF
Heat input - high	6.8kW	6.9kW
Heat input - low	4.1kW	4.2kW
Heat output - high	3.6kW	3.7kW
Air vent required	Not normally required	Not normally required

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas
LPG*



Brick Chimney
Pre-Fabricated
Pre-Cast
Powerflue




Manual Control †
Semi Remote Control †
Easy Flame Control †
Touchlite ††



Plain Back

* † Not available on Powerflue models
†† Powerflue only

DIMENSIONS



A 490mm
B 585mm
C 550mm
D 200mm
E 400mm

For Powerflue dimensions see page 55

FUEL BED ALTERNATIVES



Coals



Pebbles



The Meridian


A combination of contemporary fascia design and traditional log fuel bed is sure to make the Meridian an impressive feature in any home. This exceptionally versatile fire can be installed as a modern hole-in-the-wall fire or with a fire surround for a more traditional look. Choose between black ribbed, cream ribbed or brick effect fire back (flame picture will differ on balanced flue model).

SPECIFICATIONS


Description	Full depth inset convector	
Safety	Flame supervision device & oxygen depletion sensor	
Type of heat	Radiant & Convected	
Model	Meridian	Meridian BF
Heat input - high	5.6kW	5.1kW
Heat input - low	1.9kW	1.9kW
Heat output - high	4.1kW	4.4kW
Net Efficiency	up to 75%	up to 87%
Air vent required	Not normally required	Not normally required

Heat input and output figures are specific to natural gas models only

DIMENSIONS



OPTIONS



TRIM ALTERNATIVES



Bronze/Champagne



Shown: The Meridian as hearth mounted installation with Cream ribbed back fibres and Champagne fascia
Inset image: Meridian shown as hole-in-the-wall installation with brick effect back fibres and Black/Silver fascia

The Magma

The North American styling of the Magma, with its impressive log fuel bed, makes this a striking addition to any living room.

Convected heat is gently blown out of the appliance using an electric* fan for increased heating performance. The Magma can be installed as part of a fireplace or as a hole-in-the-wall style fire.

* A mains connection is required.

SPECIFICATIONS

Description	Full depth inset convector
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant & Convected
Heat input - high	7.5kW
Heat input - low	3.1kW
Heat output - high	5.3kW
Net Efficiency	up to 72%
Air vent required	Not normally required

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas LPG




Brick Chimney Pre-Fabricated



Manual Control

DIMENSIONS



A 730mm D 350mm
 B 545mm E 632mm
 C 475mm



The Atina

The compact and minimalist design of the Atina hole-in-the-wall fire makes this a very popular contemporary product. Customize your own design with a wide choice of trim styles, colours and fuel beds.

SPECIFICATIONS

Description	Hole-in-the-wall radiant
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant
Heat input - high	7.0kW
Heat input - low	3.8kW
Heat output - high	N/A
Air vent required	Not normally required

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas LPG



Brick Chimney Pre-Fabricated




Fully Remote Control



Plain Back

DIMENSIONS

Shows optional collection hood



Strata	Slimline	XL
A 900mm	A 580mm	A 900mm
B 475mm	B 355mm	B 445mm
C 288mm	C 288mm	C 288mm
D 330mm	D 330mm	D 330mm
E 502mm	E 502mm	E 502mm
F 159mm	F 159mm	F 159mm

TRIM & FUEL BED ALTERNATIVES



Slimline Gloss Black trim. Also available in Polished Steel



XL in Graphite Grey trim. Also available in Cream Stone



Coals



Pebbles



White Stones



Driftwood



Logs



Flame Only



Shown: The Atina with Strata trim and white stone fuel bed

The Vertex

The Vertex is a fashionable decorative hole-in-the-wall fire that creates a stunning, minimalist fireplace. Available with the option of a Slimline, XL or Strata trim, there is a style to suit any living area.

SPECIFICATIONS

Description	Hole-in-the-wall radiant
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant
Heat input - high	9.4kW
Heat input - low	6.2kW
Heat output - high	N/A
Air vent required	100cm ²

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas LPG



Brick Chimney




Fully Remote Control



Plain Back

DIMENSIONS

Shows optional collection hood



Slimline	XL	Strata
A 780mm	A 1170mm	A 1170mm
B 410mm	B 525mm	B 525mm
C 343mm	C 343mm	C 343mm
D 330mm	D 330mm	D 330mm
E 710mm	E 710mm	E 710mm
F 159mm	F 159mm	F 159mm

TRIM & FUEL BED ALTERNATIVES



Strata trim



Slimline Brushed Steel trim

XL trim also available in Black or Bronze



Coals



Pebbles



White Stones



Driftwood



Logs



Flame Only



Shown: The Slimline XL with Graphite Grey trim and log fuel bed

The Carmelo

The Carmelo offers the ultimate in "Wow" factor. A black painted interior beautifully highlights a stunning dancing flame picture. This fire can be simply installed as a trimless product or together with a marble, stone or granite trim built to your own bespoke specifications*. Comes as a flame only fuel bed as standard with the option to purchase driftwood, logs, pebbles or white stones.

SPECIFICATIONS

Description	Hole-in-the-wall radiant
Safety	Flame supervision device & oxygen depletion sensor
Type of heat	Radiant
Heat input - high	14.5kW
Heat input - low	7.1kW
Heat output - high	N/A
Air vent required	100cm ²

Heat input and output figures are specific to natural gas models only

OPTIONS



Natural Gas LPG



Brick Chimney




Fully Remote Control



Plain Back

DIMENSIONS



A 1230mm D 330mm
 B 330mm E 1150mm
 C 250mm

* Trims not available from Verine. Please enquire about bespoke fireplaces when visiting your local Verine stockist.

FUEL BED ALTERNATIVES



Pebbles



Driftwood



Logs



White Stones



Flame Only





VERINE Fire Options

Tailor your fire
to match your living space...

Make your Verine fire a unique fire. Choose your fascia, trim & fret and fuel bed from our divine selection to create a perfect match for your fire's setting.

Fascia options

Frontier fascias



Hearth mounted



Wall mounted

Essence fascias



Brass



Brushed Steel



Black

Accessories Options

Fire Model	Standard	Trims			Fascias			Frets					
		Profiled	Designer	Curved	Frontier Hearth	Frontier Wall	Essence	Blenheim	Elegance		Bauhaus	Media	
Orbis HE MC & RC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Orbis HE SC	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
Quasar HE MC & RC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Quasar HE SC	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
Midas HE MC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Acclaim 16	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓
Acclaim VIC16	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗
Acclaim 18	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓*	✓	✓	✗
Zodiac 16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Zodiac 18	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗
Rapport	✓*	✓*	✗	✗	✗	✗	✗	✓*	✓	✗	✗	✗	✗
Quasar MC & RC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Quasar SC	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
Quasar PF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Midas	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Midas PF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Orbis MC & RC	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓
Orbis SC	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
Zephyr	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Zenith	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Zenith PF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Alpena BF	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓
Ravena HE	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓

*Restricted colours available

Fret options

Blenheim



Brass – 16", 18" & 22"



Antique – 16" & 18"



Black – 16", 18" & 22"



Polished – 16" & 18"

Elegance



Brass – 16", 18" & 22"



Black – 16", 18" & 22"



Polished – 16", 18" & 22"

Edwardian



Brass – 16"



Black – 16"



Polished – 16"

Bauhaus



Brass – 16" & 18"



Black – 16" & 18"



Polished – 16" & 18"

Media



Brass – 16"



Polished – 16"

Trim options

Standard trim



Available in Brass, Black, Brushed Silver and Silver

Profiled trim



Available in Brass, Black and Silver

Curved trim



Available in Brass, Black and Silver

Designer trim



Anodised aluminium trims available in Brass/Black, Black/Brass, Brass, Silver, Black/Silver and Silver/Black.

The Verine Power Flue System

A gas fire creates a welcoming heart to any living room but many newer homes are being built without a chimney or flue so a conventional gas fire is not an option.

However, Power Flue gas fires have been specifically designed for homes without a conventional flue system providing a gas fuelled alternative heat source to an electric fire or radiator.


Several of the models in the Verine range are available as a Power Flue option and our unique Side Flue System available on the Midas means that you don't even need to install your fire on an outside wall – making this one of the most versatile gas fires on the market.

Shown right: an example of a basic Power Flue installation



The Verine Slimline Fan System fully recessed into an outside wall leaving only a discreet 3" projection. 96mm and 183mm spacers are available if required.

INSTALLATION EXAMPLE



DIMENSIONS OF POWERFLUE FIRES

	Quasar	Ravena HE	Sigma	Zenith	Midas
A	604mm	550mm	604mm	550mm	525mm
B	150mm	150mm	175mm	200mm	131mm
C	539mm	483mm	539mm	483mm	425mm (min)
D	355mm	355mm	355mm	355mm	355mm
E	75mm	75mm	75mm	75mm	75mm
Min. Rebate Required	63.5mm	63.5mm	63.5mm	63.5mm	50.5mm


Builders' Opening Sizes

Fire Model	Height Minimum	Height Maximum	Width Minimum	Width Maximum
Orbis HE	550mm	570mm	400mm	450mm
Quasar HE	550mm	570mm	370mm	450mm
Frontier HE	550mm	570mm	370mm	450mm
Midas HE	550mm	570mm	335mm	430mm
Eden HE*	310mm	555mm	790mm	835mm
Fontana HE*	540mm	545mm	750mm	780mm
Alpena BF	550mm	570mm	405mm	450mm
Marcello*	615mm	623mm	750mm	780mm
Ravena HE	550mm	570mm	405mm	450mm
Acclaim	N/A	N/A	N/A	N/A
Acclaim VIC	N/A	N/A	N/A	N/A
Acclaim 18"	N/A	N/A	N/A	N/A
Zodiac	550mm	570mm	405mm	425mm
Zodiac 18"	550mm	570mm	450mm	470mm
Rapport	560mm	575mm	560mm	575mm
Quasar	555mm	575mm	355mm	475mm
Frontier	555mm	575mm	355mm	475mm
Sigma	555mm	575mm	355mm	475mm
Midas	550mm	570mm	405mm	470mm
Orbis	550mm	570mm	405mm	440mm
Zephyr	550mm	570mm	405mm	425mm
Zenith	550mm	570mm	405mm	450mm
Meridian*	720mm	730mm	550mm	565mm
Meridian BF*	720mm	730mm	550mm	565mm
Magma*	485mm	505mm	640mm	660mm
Atina*	300mm	310mm	520mm	530mm
Vertex*	350mm	365mm	710mm	740mm
Carmelo*	250mm	250mm	1150mm	1150mm

Installation Possibilities

The drawings below show a selection of the many possible installation situations.

MIDAS, ZENITH, & RAVENA HE POWER FLUE




THE QUASAR AND SIGMA POWER FLUE
These models feature a rear exit flue with a 400mm straight flue pipe.


THE RAVENA AND ZENITH POWER FLUE
These models are flued from the rear of the fire and are suitable to be installed on a maximum flue length of 4 metres and 3 bends.

THE MIDAS POWER FLUE
This model can be flued from the rear or either side of the fire. A range of specially designed flue pipe lengths and bends are available to maximise installation possibilities.

ALL POWER FLUES



MIDAS POWER FLUE ONLY



*Always refer to installation instructions for builders' opening sizes. For Da Vinci, Distinction and Eden HE opening sizes please refer to installation manual. All the above dimensions are based on installation in to brick built chimneys. Alternative minimum/maximum opening sizes may be required to achieve clearance from combustion studwork used in the creation of "false" chimney breast etc. Air vent requirements may vary depending on appliance and property type. Please refer to the product installation manual and consult your Gas Safe Register engineer for further details."